

rteres

Instrument :

FID_E

ClientSampleId :

PB150033BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01042

Data File : FE039631.D

Signal(s) : FID1B.ch

Acq On : 04 Jan 2023 16:32

Sample : PB150033BSD

Misc :

ALS Vial : 9 Sample Multiplier: 1

Reviewed By :Yogesh Patel 01/05/2023

Supervised By :Ankita Jodhani 01/05/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.324	3.287	3.378	BB	374511	3663299	55.02%	2.135%
2	4.572	4.532	4.590	BV	398279	3848037	57.80%	2.243%
3	4.608	4.590	4.670	VB	453529	4412152	66.27%	2.572%
4	6.273	6.237	6.369	BB	522479	5031763	75.58%	2.933%
5	6.734	6.695	6.792	BB	426612	4262502	64.02%	2.485%
6	7.368	7.317	7.472	BB	491298	4963855	74.56%	2.894%
7	8.562	8.517	8.610	BB	426312	4438926	66.67%	2.588%
8	8.669	8.627	8.757	BB	546737	5511756	82.79%	3.213%
9	8.968	8.939	9.056	VB	538373	5413025	81.31%	3.155%
10	9.757	9.712	9.853	BB	516790	5428264	81.53%	3.164%
11	10.167	10.124	10.218	BB	441634	4689375	70.44%	2.734%
12	11.163	11.096	11.208	BV	473746	5319373	79.90%	3.101%
13	11.238	11.208	11.340	VB	479256	5227331	78.52%	3.047%
14	11.609	11.567	11.671	BB	420911	4883389	73.35%	2.847%
15	11.928	11.881	11.992	BB	548991	6063803	91.08%	3.535%
16	12.919	12.829	12.950	BV	404690	4757312	71.46%	2.773%
17	12.983	12.950	13.078	VB	446143	5191395	77.98%	3.026%
18	13.283	13.233	13.321	BV	441509	5076795	76.26%	2.959%
19	13.363	13.321	13.426	VB	401395	4850570	72.86%	2.828%
20	13.530	13.493	13.576	M	397555	4693431	70.50%	2.736%
21	14.117	14.040	14.166	BB	376928	4700503	70.60%	2.740%
22	15.163	15.113	15.182	BV	362597	4644394	69.76%	2.707%
23	15.208	15.183	15.217	M	543450	6657637	100.00%	3.881%
24	15.218	15.218	15.291	M	434048	2787159	41.86%	1.625%
25	16.241	16.179	16.295	BB	355858	4506816	67.69%	2.627%
26	16.723	16.668	16.737	BV	335630	4764685	71.57%	2.777%
27	16.756	16.737	16.857	VB	368220	4692214	70.48%	2.735%
28	17.103	17.044	17.154	BV	319172	4156911	62.44%	2.423%
29	17.189	17.154	17.255	VB	336140	4456453	66.94%	2.598%
30	18.078	18.036	18.120	M	318419	4210836	63.25%	2.455%
31	18.477	18.417	18.493	BV	285788	4002148	60.11%	2.333%
32	18.513	18.493	18.660	VB	276696	4011093	60.25%	2.338%
33	18.735	18.671	18.867	BB	320209	4619754	69.39%	2.693%
34	18.910	18.867	18.972	BB	306171	4111793	61.76%	2.397%
35	19.694	19.651	19.732	BB	265797	3789698	56.92%	2.209%
36	20.434	20.401	20.471	BV	209416	3076886	46.22%	1.794%

rterres
 37 21.170 21.109 21.237 BB 142556 2497646 37.52% 1.456%
 38 22.080 21.998 22.165 BB 88155 2134779 32.15% 1.456%
 Sum of corrected areas: 1715

Aliphatic EPH 121722.M Thu Jan 05 03:10:45 2023

Instrument :
FID_E
ClientSampleId :
PB150033BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/05/2023
Supervised By :Ankita Jodhani 01/05/2023