

rteres

Instrument :

FID_E

ClientSampleId :

PB150051BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01052

Data File : FE039652.D

Signal(s) : FID1B.ch

Acq On : 05 Jan 2023 15:54

Sample : PB150051BS

Misc :

ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 01/06/2023

Supervised By :Ankita Jodhani 01/06/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.322	3.279	3.381	BB	609289	5995756	75.72%	2.980%
2	4.571	4.529	4.589	BV	657573	6333951	79.99%	3.148%
3	4.607	4.589	4.682	VB	512925	5037813	63.62%	2.504%
4	6.271	6.232	6.373	BB	455850	4466047	56.40%	2.220%
5	6.734	6.687	6.799	BB	685901	6841466	86.40%	3.400%
6	7.366	7.316	7.474	BB	448093	4568807	57.70%	2.271%
7	8.562	8.517	8.622	BB	678906	7018246	88.64%	3.488%
8	8.665	8.626	8.755	BB	434979	4406900	55.66%	2.190%
9	8.966	8.937	9.049	VB	491989	4979492	62.89%	2.475%
10	9.754	9.713	9.848	BB	406757	4475629	56.52%	2.224%
11	10.167	10.120	10.228	BB	712344	7498156	94.70%	3.727%
12	11.160	11.097	11.207	BV	377629	4140396	52.29%	2.058%
13	11.235	11.207	11.342	VB	362628	4144421	52.34%	2.060%
14	11.610	11.565	11.674	BB	685853	7918003	100.00%	3.935%
15	11.927	11.881	11.983	BB	531872	5804931	73.31%	2.885%
16	12.920	12.879	12.950	BV	635471	7832521	98.92%	3.893%
17	12.981	12.950	13.068	VB	343444	3921518	49.53%	1.949%
18	13.279	13.232	13.318	BV	354926	4014894	50.71%	1.995%
19	13.362	13.318	13.420	VB	386045	4655861	58.80%	2.314%
20	13.530	13.506	13.591	BB	638054	7471121	94.36%	3.713%
21	14.117	14.077	14.170	BB	635561	7867731	99.37%	3.910%
22	15.159	15.113	15.178	BV	270993	3381205	42.70%	1.681%
23	15.210	15.179	15.210	M	453193	4526900	57.17%	2.250%
24	15.220	15.210	15.259	M	638739	6722841	84.91%	3.341%
25	16.241	16.171	16.292	BB	603509	7766084	98.08%	3.860%
26	16.719	16.669	16.732	BV	251827	3426812	43.28%	1.703%
27	16.748	16.732	16.846	VB	274660	3388303	42.79%	1.684%
28	17.098	17.039	17.151	BV	245268	3118727	39.39%	1.550%
29	17.190	17.151	17.256	VB	581075	7646210	96.57%	3.800%
30	18.078	18.051	18.123	BB	521175	7031927	88.81%	3.495%
31	18.472	18.419	18.488	BV	227465	2964113	37.44%	1.473%
32	18.507	18.488	18.627	VB	188839	2822507	35.65%	1.403%
33	18.729	18.673	18.854	BB	250370	3489966	44.08%	1.735%
34	18.910	18.855	18.967	BB	506586	7151154	90.32%	3.554%
35	19.695	19.651	19.755	BB	448358	6310464	79.70%	3.136%
36	20.433	20.401	20.469	BV	329063	4827215	60.97%	2.399%

rteres
 37 21.167 21.037 21.227 BB 226839 3926018 49.58% 1.951%
 38 22.076 22.002 22.162 BB 144341 3307287 41.12% 1.951%
 Sum of corrected areas: 2012

Aliphatic EPH 121722.M Fri Jan 06 03:27:27 2023

Instrument :
FID_E
ClientSampleId :
PB150051BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/06/2023
Supervised By :Ankita Jodhani 01/06/2023