

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE011722\
 Data File : FE034728.D
 Signal(s) : FID1B.CH
 Acq On : 17 Jan 2022 12:47
 Sample : 1760 TRPH STD
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE011722.M
 Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.288	2.251	2.440	BB	5355153	53369718	63.22%	8.965%
2	3.261	3.209	3.358	BB	4577066	53986038	63.95%	9.068%
3	4.316	4.250	4.365	BB	5539640	80828478	95.75%	13.577%
4	5.343	5.271	5.380	BB	5366756	84412796	100.00%	14.179%
5	6.318	6.246	6.356	BB	5146906	83241984	98.61%	13.982%
6	8.106	8.029	8.146	BB	4725995	81694865	96.78%	13.723%
7	9.699	9.619	9.740	BB	4083840	69196695	81.97%	11.623%
8	11.120	11.054	11.162	BB	2434648	34649403	41.05%	5.820%
9	12.411	12.358	12.449	BB	1098401	13968144	16.55%	2.346%
10	14.496	14.442	14.549	BB	513986	7020131	8.32%	1.179%
11	14.703	14.648	14.750	BB	976032	13427489	15.91%	2.255%
12	16.660	16.605	16.696	BB	465220	6426475	7.61%	1.079%
13	18.374	18.318	18.422	BB	392140	5498140	6.51%	0.924%
14	19.890	19.839	19.926	BB	259638	3656135	4.33%	0.614%
15	21.431	21.370	21.490	BBA	121158	2508941	2.97%	0.421%
16	23.937	23.852	24.034	BB	36825	1449367	1.72%	0.243%
Sum of corrected areas:						595334798		

C44-FE011722.M Mon Jan 17 14:43:47 2022