

Instrument :

FID_E

ClientSampleId :

PB166099BS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01172

Data File : FE051946.D

Signal(s) : FID1B.ch

Acq On : 17 Jan 2025 14:53

Sample : PB166099BS

Misc :

ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 01/21/2025

Supervised By :Ankita Jodhani 01/21/2025

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.618	3.574	3.678	BB	444031	4084717	38.46%	2.102%
2	4.851	4.811	4.874	BV	468476	4332337	40.79%	2.229%
3	4.897	4.874	4.948	VB	496185	4692178	44.18%	2.415%
4	6.551	6.518	6.618	BB	537593	5058903	47.63%	2.603%
5	6.992	6.948	7.054	BB	483544	4522061	42.58%	2.327%
6	7.637	7.588	7.698	PB	496831	4750690	44.73%	2.445%
7	8.811	8.768	8.861	BB	469592	4762092	44.84%	2.451%
8	8.936	8.881	8.988	BB	557804	5296418	49.87%	2.726%
9	9.235	9.198	9.294	BB	566028	5522587	52.00%	2.842%
10	10.019	9.984	10.084	BB	539208	5493511	51.72%	2.827%
11	10.411	10.318	10.448	BV	483637	4920399	46.33%	2.532%
12	11.423	11.358	11.463	BV	523240	5521184	51.98%	2.841%
13	11.498	11.463	11.558	VV	527502	5535569	52.12%	2.849%
14	11.850	11.801	11.911	BB	460232	5076059	47.79%	2.612%
15	12.179	12.141	12.218	BB	511069	5411824	50.95%	2.785%
16	13.156	13.094	13.194	BV	453481	5319033	50.08%	2.737%
17	13.240	13.194	13.308	VB	510476	5590503	52.64%	2.877%
18	13.540	13.494	13.567	BV	509085	5608420	52.81%	2.886%
19	13.602	13.567	13.664	VB	406398	4615336	43.45%	2.375%
20	13.766	13.728	13.831	BB	428386	5133223	48.33%	2.642%
21	14.350	14.311	14.418	BB	440529	5132296	48.32%	2.641%
22	15.411	15.364	15.429	BV	452785	5580616	52.54%	2.872%
23	15.454	15.429	15.514	VB	838782	10620972	100.00%	5.466%
24	16.470	16.408	16.531	BB	411780	5044372	47.49%	2.596%
25	16.966	16.918	16.982	BV	381939	5454054	51.35%	2.807%
26	17.002	16.982	17.068	VB	486125	5495817	51.74%	2.828%
27	17.347	17.304	17.377	BV	441908	5285987	49.77%	2.720%
28	17.414	17.377	17.481	VB	391284	4999594	47.07%	2.573%
29	18.302	18.238	18.358	BB	364515	4970438	46.80%	2.558%
30	18.716	18.624	18.732	BV	396014	5482694	51.62%	2.821%
31	18.754	18.732	18.808	VB	430780	5153594	48.52%	2.652%
32	18.975	18.914	19.038	BB	374343	5199767	48.96%	2.676%
33	19.131	19.088	19.191	BB	342392	4900353	46.14%	2.522%
34	19.912	19.858	19.974	BB	352710	4963703	46.73%	2.554%
35	20.650	20.601	20.714	BB	330086	4881125	45.96%	2.512%
36	21.444	21.401	21.524	BB	248887	4896083	46.10%	2.520%

37 22.456 22.348 22.554 BB 196348 5017274 47.24% 2.582%
rteres
Sum of corrected areas: 1943

Aliphatic EPH 011625.M Sat Jan 18 00:14:02 2025

Instrument :

FID_E

ClientSampleId :

PB166099BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/21/2025

Supervised By :Ankita Jodhani 01/21/2025