

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE011823AL\
 Data File : FE039880.D
 Signal(s) : FID1B.ch
 Acq On : 18 Jan 2023 14:48
 Operator : YP\AJ
 Sample : 01175-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 19 00:11:05 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011023.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 10 04:24:52 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.917	3182737	20.725 ug/ml
Spiked Amount 50.000		Recovery =	41.45%
12) S 1-chlorooctadecane (S...	13.354	2546370	21.820 ug/ml
Spiked Amount 50.000		Recovery =	43.64%
Target Compounds			
17) T n-Tricontane (C30)	18.072	49835	0.391 ug/ml
18) T n-Dotriacontane (C32)	18.900	80038	0.633 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE011823AL\
Data File : FE039880.D
Signal(s) : FID1B.ch
Acq On : 18 Jan 2023 14:48
Operator : YP\AJ
Sample : 01175-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 19 00:11:05 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011023.M
Quant Title : GC Extractables
QLast Update : Tue Jan 10 04:24:52 2023
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.917 min
Delta R.T.: 0.000 min
Response: 3182737
Conc: 20.73 ug/ml




#12 1-chlorooctadecane (SURR)

R.T.: 13.354 min
Delta R.T.: 0.000 min
Response: 2546370
Conc: 21.82 ug/ml



#17 n-Tricontane (C30)

R.T.: 18.072 min
Delta R.T.: 0.003 min
Response: 49835
Conc: 0.39 ug/ml



#18 n-Dotriacontane (C32)

R.T.: 18.900 min
Delta R.T.: -0.001 min
Response: 80038
Conc: 0.63 ug/ml