

Instrument :

FID_E

ClientSampleId :

PB158489BSD

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE

Data File : FE046283.D

Signal(s) : FID1B.ch

Acq On : 18 Jan 2024 15:08

Sample : PB158489BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Ankita Jodhani 01/19/2024

Supervised By :Sohil Jodhani 01/23/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 122923.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.213	3.192	3.297	BB	213209	2219621	10.50%	0.623%
2	4.463	4.422	4.481	BV	286394	2892965	13.69%	0.812%
3	4.498	4.481	4.642	VB	340733	3717426	17.59%	1.044%
4	6.166	6.124	6.365	BB	546620	6220838	29.43%	1.746%
5	6.631	6.578	6.764	BB	577320	6064333	28.69%	1.702%
6	7.263	7.226	7.391	PV	684434	7902326	37.38%	2.218%
7	8.461	8.409	8.532	BV	784650	8647175	40.91%	2.428%
8	8.564	8.532	8.734	VV	867483	9662708	45.71%	2.713%
9	8.863	8.834	9.094	VB	858549	9939477	47.02%	2.790%
10	9.655	9.613	9.827	BV	804609	10173771	48.13%	2.856%
11	10.069	10.019	10.232	BB	818881	9731359	46.04%	2.732%
12	11.065	10.997	11.114	BV	749305	9826877	46.49%	2.759%
13	11.143	11.114	11.294	VV	685513	10300091	48.73%	2.892%
14	11.515	11.475	11.597	PV	815754	10076811	47.67%	2.829%
15	11.831	11.778	11.950	BV	967331	11863718	56.12%	3.331%
16	12.827	12.738	12.858	BV	808353	10187233	48.19%	2.860%
17	12.891	12.858	13.051	VV	628195	9924994	46.95%	2.786%
18	13.191	13.145	13.239	VV	583381	9601538	45.42%	2.695%
19	13.272	13.239	13.399	VV	709093	9457964	44.74%	2.655%
20	13.438	13.399	13.551	VB	756848	9774890	46.24%	2.744%
21	14.026	13.942	14.126	BB	720090	9645955	45.63%	2.708%
22	15.081	15.028	15.100	BV	413938	7540211	35.67%	2.117%
23	15.130	15.100	15.392	VB	1099719	21138902	100.00%	5.934%
24	16.155	16.082	16.263	BB	595863	9144577	43.26%	2.567%
25	16.659	16.614	16.660	M	387009	5056900	23.92%	1.420%
26	16.684	16.660	16.794	M	531232	14452001	68.37%	4.057%
27	17.042	16.998	17.076	M	319732	8064374	38.15%	2.264%
28	17.105	17.076	17.221	M	604373	10967526	51.88%	3.079%
29	17.998	17.926	18.133	VB	534996	8990635	42.53%	2.524%
30	18.459	18.390	18.460	M	480076	9812259	46.42%	2.755%
31	18.461	18.461	18.619	M	473900	11443088	54.13%	3.212%

rteres									
32	18.689	18.645	18.790	M	206096	9228586	43.66%	2.591%	
33	18.831	18.791	19.002	M	533098	1019623			
34	19.619	19.571	19.742	BV	525906	973634			
35	20.360	20.300	20.475	M	549976	1158061			
36	21.093	21.041	21.284	BV	577779	1387826			
37	21.988	21.882	22.250	BBA	493301	1714841	81.12%	4.814%	
Sum of corrected areas:						356210946			

Instrument :
FID_E
ClientSampleId :
PB158489BSD

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 01/19/2024
Supervised By :Sohil Jodhani 01/23/2024

Aliphatic EPH 122923.M Fri Jan 19 01:39:18 2024