

Instrument :

FID_E

ClientSampleId :

PB158519BSD

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01192

Data File : FE046308.D

Signal(s) : FID1B.ch

Acq On : 19 Jan 2024 15:47

Sample : PB158519BSD

Misc :

ALS Vial : 16 Sample Multiplier: 1

Reviewed By :Ankita Jodhani 01/22/2024

Supervised By :Sohil Jodhani 01/23/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 122923.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.230	3.198	3.357	BV	688032	7141965	41.39%	2.360%
2	4.473	4.439	4.489	BV	770104	7488109	43.39%	2.475%
3	4.507	4.489	4.679	VB	786446	8562499	49.62%	2.830%
4	6.171	6.130	6.392	BB	786661	8833686	51.19%	2.919%
5	6.634	6.588	6.768	BV	757930	8008344	46.41%	2.646%
6	7.266	7.227	7.392	PV	735149	8565015	49.63%	2.830%
7	8.461	8.397	8.534	BV	742037	8148890	47.22%	2.693%
8	8.565	8.534	8.737	VV	778811	8948817	51.86%	2.957%
9	8.864	8.835	9.089	VB	750730	8970710	51.99%	2.964%
10	9.656	9.614	9.827	BV	630647	8610152	49.90%	2.845%
11	10.069	10.019	10.236	BB	713487	8166108	47.32%	2.699%
12	11.066	11.004	11.116	BV	562146	7886199	45.70%	2.606%
13	11.144	11.116	11.291	VV	503564	8365461	48.48%	2.764%
14	11.515	11.473	11.655	PB	670061	8270060	47.93%	2.733%
15	11.830	11.766	11.952	BV	715995	8874863	51.43%	2.933%
16	12.827	12.744	12.862	BV	656925	8254188	47.83%	2.728%
17	12.893	12.862	13.047	VV	484173	7886521	45.70%	2.606%
18	13.192	13.148	13.241	BV	443566	7576986	43.91%	2.504%
19	13.272	13.241	13.399	VV	522304	7110998	41.21%	2.350%
20	13.440	13.399	13.553	VB	611991	7889822	45.72%	2.607%
21	14.027	13.940	14.147	BB	570275	7768463	45.02%	2.567%
22	15.082	15.026	15.101	BV	335076	5678252	32.91%	1.876%
23	15.131	15.101	15.399	VB	876996	17256133	100.00%	5.702%
24	16.156	16.080	16.262	BB	474319	7318610	42.41%	2.418%
25	16.664	16.618	16.664	M	303353	4298145	24.91%	1.420%
26	16.685	16.665	16.789	M	409658	10866521	62.97%	3.591%
27	17.039	17.003	17.078	M	231977	5967890	34.58%	1.972%
28	17.105	17.078	17.234	M	487047	9123017	52.87%	3.015%
29	17.999	17.939	18.122	BB	431496	7154765	41.46%	2.364%
30	18.467	18.392	18.468	M	356949	8336848	48.31%	2.755%
31	18.469	18.469	18.644	M	347674	8540840	49.49%	2.822%
32	18.696	18.653	18.790	M	154761	6806349	39.44%	2.249%
33	18.836	18.790	18.946	M	409019	7872305	45.62%	2.601%
34	19.622	19.571	19.744	BV	376366	7204699	41.75%	2.381%
35	20.364	20.308	20.469	M	387681	7475583	43.32%	2.470%
36	21.095	21.040	21.285	BV	351666	8191401	47.47%	2.707%

37 21.994 21.905 22.250 VBA 269481 9190753 53.26% 3.037%
rteres
Sum of corrected areas: 3026

Aliphatic EPH 122923.M Fri Jan 19 22:38:34 2024

Instrument :
FID_E

ClientSampleId :
PB158519BSD

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 01/22/2024

Supervised By :Sohil Jodhani 01/23/2024