

rteres

Instrument :

FID_E

ClientSampleId :

PB158520BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 01/22/2024

Supervised By :Sohil Jodhani 01/23/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01192
Data File : FE046314.D
Signal(s) : FID1B.ch
Acq On : 19 Jan 2024 18:49
Sample : PB158520BSD
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 122923.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.229	3.197	3.386	BB	681856	7147382	41.27%	2.342%
2	4.472	4.437	4.488	BV	764264	7472069	43.15%	2.448%
3	4.506	4.488	4.679	VB	780880	8569383	49.49%	2.808%
4	6.170	6.131	6.398	BB	769553	8848114	51.10%	2.899%
5	6.633	6.587	6.769	BV	779702	8004399	46.22%	2.623%
6	7.265	7.231	7.392	PV	739197	8585538	49.58%	2.813%
7	8.460	8.394	8.535	BV	737211	8163284	47.14%	2.675%
8	8.564	8.535	8.741	VV	777499	8991601	51.92%	2.946%
9	8.863	8.834	9.076	VB	774961	9007584	52.02%	2.952%
10	9.655	9.606	9.829	BV	613060	8665648	50.04%	2.839%
11	10.068	10.017	10.231	BB	694440	8200817	47.36%	2.687%
12	11.065	10.996	11.116	BV	582067	7957431	45.95%	2.607%
13	11.142	11.116	11.295	VV	514465	8426160	48.66%	2.761%
14	11.514	11.474	11.652	PB	671982	8319427	48.04%	2.726%
15	11.829	11.774	11.951	BV	708779	8946998	51.67%	2.932%
16	12.827	12.745	12.860	BV	659576	8318535	48.04%	2.726%
17	12.891	12.860	13.055	VV	481975	7970925	46.03%	2.612%
18	13.190	13.152	13.241	BV	445080	7662218	44.25%	2.511%
19	13.271	13.241	13.398	VV	503123	7168132	41.39%	2.349%
20	13.439	13.398	13.551	VB	621641	7955102	45.94%	2.607%
21	14.026	13.946	14.134	BB	583768	7837145	45.26%	2.568%
22	15.081	15.029	15.100	BV	344392	5824922	33.64%	1.909%
23	15.129	15.100	15.404	VB	856195	17316867	100.00%	5.674%
24	16.155	16.089	16.255	BB	495321	7388791	42.67%	2.421%
25	16.662	16.618	16.662	M	312340	4205096	24.28%	1.378%
26	16.685	16.662	16.829	M	423478	11896723	68.70%	3.898%
27	17.038	17.005	17.078	M	230555	6205375	35.83%	2.033%
28	17.105	17.079	17.238	M	494858	9033719	52.17%	2.960%
29	17.997	17.931	18.115	VB	427030	7262562	41.94%	2.380%
30	18.455	18.393	18.458	M	356784	6689563	38.63%	2.192%
31	18.460	18.460	18.635	M	362769	9839000	56.82%	3.224%
32	18.696	18.647	18.788	M	156104	6865190	39.64%	2.250%
33	18.831	18.788	18.974	M	421054	8040018	46.43%	2.634%
34	19.619	19.570	19.737	BV	389617	7307682	42.20%	2.395%
35	20.358	20.301	20.461	M	385578	7816921	45.14%	2.561%
36	21.092	21.040	21.259	BV	353406	8204028	47.38%	2.688%

37 21.990 21.884 22.160 VV 267616 9070629 52.38% 2.972%
rteres
Sum of corrected areas: 305

Aliphatic EPH 122923.M Fri Jan 19 22:44:23 2024

Instrument :

FID_E

ClientSampleId :

PB158520BSD

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 01/22/2024

Supervised By :Sohil Jodhani 01/23/2024