

rteres

Area Percent Report

Instrument :
FID_E
ClientSampleId :
PB126196BS

Manual Integrations
APPROVED

Ankita
1/22/2020 9:00:25 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE012020\
Data File : FE031142.D
Signal(s) : FID1B.CH
Acq On : 20 Jan 2020 17:32
Sample : PB126196BS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE010420.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.336	2.289	2.459	BB	467876	4014385	45.88%	2.983%
2	4.367	4.332	4.439	BB	617852	6064153	69.30%	4.505%
3	6.377	6.339	6.472	BB	631313	6703706	76.61%	4.981%
4	8.173	8.095	8.275	BB	670694	7686879	87.85%	5.711%
5	9.776	9.735	9.859	BB	698375	8452331	96.59%	6.280%
6	11.221	11.055	11.285	BB	695350	8602978	98.31%	6.392%
7	12.534	12.489	12.639	BB	681043	8750467	100.00%	6.501%
8	13.734	13.652	13.812	BB	674954	8678073	99.17%	6.448%
9	14.635	14.585	14.709	BB	521711	7466689	85.33%	5.547%
10	14.840	14.745	14.945	BB	640360	8580458	98.06%	6.375%
11	15.863	15.672	15.959	BB	606255	8406177	96.07%	6.245%
12	16.815	16.589	16.902	BB	614606	8487576	97.00%	6.306%
13	17.705	17.660	17.741	M	579870	8329946	95.19%	6.189%
14	18.538	18.462	18.612	BB	550372	7941358	90.75%	5.900%
15	19.324	19.212	19.372	BV	503649	7358650	84.09%	5.467%
16	20.064	20.002	20.114	BV	437515	7000569	80.00%	5.201%
17	20.795	20.712	20.860	BBA	338059	6009922	68.68%	4.465%
18	21.692	21.592	21.752	BV	252795	6061574	69.27%	4.504%
Sum of corrected areas:						134595892		

FE010420.M Tue Jan 21 10:52:35 2020