

rteres

Area Percent Report

Instrument :
FID_E
ClientSampleId :
PB126196BSD

Manual Integrations
APPROVED

Ankita
1/22/2020 9:00:28 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE012020\
Data File : FE031143.D
Signal(s) : FID1B.CH
Acq On : 20 Jan 2020 18:04
Sample : PB126196BSD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE010420.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.337	2.288	2.465	BB	568363	4799482	55.38%	3.536%
2	4.367	4.335	4.435	BB	702663	6765456	78.07%	4.984%
3	6.376	6.338	6.458	BB	669889	7348177	84.79%	5.414%
4	8.173	8.091	8.275	BB	712255	8061932	93.03%	5.939%
5	9.776	9.668	9.858	BB	716951	8544096	98.59%	6.295%
6	11.220	11.181	11.321	BB	712034	8666042	100.00%	6.384%
7	12.532	12.485	12.641	BB	663261	8664441	99.98%	6.383%
8	13.733	13.691	13.811	BB	651671	8539312	98.54%	6.291%
9	14.634	14.588	14.705	BB	540702	7378204	85.14%	5.436%
10	14.839	14.741	14.948	BB	627440	8425434	97.22%	6.207%
11	15.861	15.701	15.948	BB	613507	8230015	94.97%	6.063%
12	16.814	16.728	16.905	BB	603401	8282877	95.58%	6.102%
13	17.703	17.471	17.781	BB	576729	8068781	93.11%	5.944%
14	18.535	18.492	18.577	M	527925	7752321	89.46%	5.711%
15	19.322	19.211	19.375	BV	510359	7351638	84.83%	5.416%
16	20.062	20.001	20.108	BV	443849	6780563	78.24%	4.995%
17	20.793	20.711	20.860	BBA	338501	6039238	69.69%	4.449%
18	21.690	21.627	21.747	M	253502	6037727	69.67%	4.448%
Sum of corrected areas:						135735735		

FE010420.M Tue Jan 21 10:53:24 2020