

rteres

Instrument :

FID_E

ClientSampleId :

PB166126BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/21/2025

Supervised By :Ankita Jodhani 01/21/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01202
Data File : FE051965.D
Signal(s) : FID1B.ch
Acq On : 20 Jan 2025 14:18
Sample : PB166126BS
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.638	3.601	3.694	BB	460541	4223646	40.57%	2.181%
2	4.870	4.828	4.893	BV	498467	4512035	43.34%	2.329%
3	4.916	4.893	4.978	VB	523537	4901785	47.08%	2.531%
4	6.570	6.534	6.638	BB	587002	5338207	51.27%	2.756%
5	7.009	6.974	7.071	BB	494686	4755540	45.67%	2.455%
6	7.655	7.601	7.721	PB	537803	5018299	48.20%	2.591%
7	8.827	8.778	8.898	BB	502809	4979757	47.83%	2.571%
8	8.954	8.914	9.001	BB	591341	5564723	53.45%	2.873%
9	9.253	9.218	9.314	BB	607849	5787544	55.59%	2.988%
10	10.037	9.988	10.104	BB	565436	5708163	54.82%	2.947%
11	10.427	10.388	10.461	BV	497759	5075319	48.75%	2.620%
12	11.440	11.378	11.480	BV	543364	5642163	54.19%	2.913%
13	11.515	11.480	11.574	VV	525447	5641616	54.18%	2.913%
14	11.864	11.818	11.914	BB	476328	5165925	49.62%	2.667%
15	12.194	12.141	12.258	BB	499296	5177498	49.73%	2.673%
16	13.169	13.111	13.211	BV	458615	5361653	51.50%	2.768%
17	13.256	13.211	13.324	VB	494519	5590550	53.69%	2.886%
18	13.556	13.501	13.583	BV	484879	5588881	53.68%	2.885%
19	13.615	13.583	13.678	VB	389694	4365900	41.93%	2.254%
20	13.779	13.741	13.854	BB	444228	5155505	49.52%	2.662%
21	14.364	14.324	14.418	BB	444336	5130910	49.28%	2.649%
22	15.428	15.374	15.444	BV	440594	5484575	52.68%	2.832%
23	15.468	15.444	15.531	VB	766473	10411942	100.00%	5.376%
24	16.483	16.428	16.538	BB	389476	4973607	47.77%	2.568%
25	16.983	16.928	16.997	BV	409842	5271144	50.63%	2.721%
26	17.015	16.997	17.078	VB	459344	5266167	50.58%	2.719%
27	17.364	17.318	17.391	BV	403376	5066487	48.66%	2.616%
28	17.427	17.391	17.501	VB	377450	4904860	47.11%	2.532%
29	18.313	18.248	18.378	BB	365322	4865732	46.73%	2.512%
30	18.732	18.618	18.747	BV	372556	5322199	51.12%	2.748%
31	18.767	18.747	18.824	VB	397398	4878297	46.85%	2.519%
32	18.989	18.831	19.068	BB	351810	5060872	48.61%	2.613%
33	19.141	19.074	19.194	BB	352806	4733220	45.46%	2.444%
34	19.922	19.851	20.021	BB	333089	4785500	45.96%	2.471%
35	20.661	20.601	20.714	BV	327569	4641152	44.58%	2.396%
36	21.457	21.401	21.521	BV	253646	4576929	43.96%	2.363%

37 22.469 22.338 22.578 BB 198606 4763385 45.75% 2.459%
rteres
Sum of corrected areas: 1936

Aliphatic EPH 011625.M Tue Jan 21 02:25:39 2025

Instrument :

FID_E

ClientSampleId :

PB166126BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/21/2025
Supervised By :Ankita Jodhani 01/21/2025