

rteres

Instrument :

FID_E

ClientSampleId :

PB166164BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/23/2025
Supervised By :Sohil Jodhani 01/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01222
Data File : FE051996.D
Signal(s) : FID1B.ch
Acq On : 22 Jan 2025 14:08
Sample : PB166164BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.679	3.641	3.741	BB	432850	3995952	42.95%	2.182%
2	4.905	4.868	4.928	BV	475966	4260420	45.80%	2.326%
3	4.953	4.928	5.014	VB	509382	4656630	50.05%	2.543%
4	6.598	6.558	6.664	BB	553773	5056306	54.35%	2.761%
5	7.032	7.001	7.091	BB	480134	4464106	47.99%	2.438%
6	7.678	7.638	7.744	PB	501062	4727550	50.82%	2.582%
7	8.839	8.801	8.901	BB	479532	4642559	49.90%	2.535%
8	8.971	8.921	9.021	BB	552429	5211957	56.02%	2.846%
9	9.267	9.231	9.331	VB	569030	5415587	58.21%	2.957%
10	10.048	10.004	10.104	BB	537984	5306614	57.04%	2.898%
11	10.433	10.398	10.471	BV	457218	4707914	50.61%	2.571%
12	11.448	11.388	11.491	BV	488058	5189771	55.79%	2.834%
13	11.523	11.491	11.584	VV	517898	5185503	55.74%	2.832%
14	11.866	11.821	11.931	BB	435309	4765595	51.23%	2.602%
15	12.199	12.158	12.251	BB	438642	4530797	48.70%	2.474%
16	13.168	13.118	13.214	BV	445626	4907364	52.75%	2.680%
17	13.260	13.214	13.331	PB	477829	5064288	54.44%	2.765%
18	13.560	13.504	13.584	BV	475527	5041341	54.19%	2.753%
19	13.613	13.584	13.678	VB	333815	3757339	40.39%	2.052%
20	13.777	13.738	13.851	BB	413050	4701107	50.53%	2.567%
21	14.360	14.321	14.428	BB	410388	4663692	50.13%	2.547%
22	15.428	15.371	15.442	BV	399176	4988662	53.62%	2.724%
23	15.465	15.442	15.531	VB	515768	9303057	100.00%	5.080%
24	16.475	16.304	16.541	BB	370377	4469962	48.05%	2.441%
25	16.980	16.928	16.996	BV	345715	4793812	51.53%	2.618%
26	17.014	16.996	17.071	VB	417171	4779549	51.38%	2.610%
27	17.363	17.318	17.387	BV	376577	4644066	49.92%	2.536%
28	17.420	17.387	17.488	VB	358880	4403134	47.33%	2.404%
29	18.305	18.234	18.358	BB	340233	4381235	47.09%	2.392%
30	18.731	18.651	18.747	BV	360188	4969875	53.42%	2.714%
31	18.767	18.747	18.824	VB	390052	4594650	49.39%	2.509%
32	18.990	18.898	19.051	BB	375680	4745342	51.01%	2.591%
33	19.135	19.061	19.191	BB	343302	4439635	47.72%	2.424%
34	19.916	19.851	19.984	BB	350008	4861839	52.26%	2.655%
35	20.654	20.601	20.704	BB	379222	5290872	56.87%	2.889%
36	21.440	21.401	21.498	BB	325927	5763306	61.95%	3.147%

37 22.441 22.338 22.558 BB 258503 6447417 69.30% 3.521%
rteres
Sum of corrected areas: 1835

Aliphatic EPH 011625.M Thu Jan 23 04:16:24 2025

Instrument :

FID_E

ClientSampleId :

PB166164BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/23/2025
Supervised By :Sohil Jodhani 01/24/2025