

rteres

Instrument :

FID_E

ClientSampleId :

PB166186BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/24/2025

Supervised By :Sohil Jodhani 01/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01232
Data File : FE052014.D
Signal(s) : FID1B.ch
Acq On : 23 Jan 2025 14:04
Sample : PB166186BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.692	3.661	3.741	BB	465600	4208577	44.11%	2.191%
2	4.916	4.878	4.940	BV	503781	4502003	47.18%	2.343%
3	4.964	4.940	5.028	VB	537703	4917927	51.54%	2.560%
4	6.608	6.574	6.674	BB	595681	5380365	56.39%	2.801%
5	7.040	7.004	7.094	BB	514566	4743716	49.72%	2.469%
6	7.687	7.634	7.751	PB	538451	5030223	52.72%	2.618%
7	8.847	8.811	8.898	BB	508947	4934253	51.71%	2.568%
8	8.980	8.928	9.051	BB	578483	5536061	58.02%	2.882%
9	9.276	9.244	9.338	BB	624283	5738322	60.14%	2.987%
10	10.057	10.008	10.121	BB	577424	5609880	58.79%	2.920%
11	10.440	10.401	10.478	BV	491204	4981710	52.21%	2.593%
12	11.457	11.398	11.497	BV	529787	5436467	56.98%	2.830%
13	11.532	11.497	11.594	VB	528789	5428180	56.89%	2.825%
14	11.873	11.781	11.934	BB	479527	5009117	52.50%	2.607%
15	12.206	12.168	12.251	BB	468029	4876132	51.10%	2.538%
16	13.175	13.134	13.224	BV	450056	5122465	53.69%	2.666%
17	13.269	13.224	13.334	VB	480810	5243009	54.95%	2.729%
18	13.569	13.521	13.593	BV	474712	5212335	54.63%	2.713%
19	13.620	13.593	13.684	VB	353867	4017497	42.11%	2.091%
20	13.784	13.748	13.814	BV	429918	4868845	51.03%	2.534%
21	14.367	14.324	14.431	BB	408487	4830700	50.63%	2.514%
22	15.438	15.391	15.451	BV	406931	5223605	54.75%	2.719%
23	15.469	15.451	15.538	VB	497026	9541529	100.00%	4.967%
24	16.483	16.314	16.531	BB	369228	4613766	48.35%	2.402%
25	16.991	16.934	17.007	BV	357579	4979513	52.19%	2.592%
26	17.025	17.007	17.084	VB	444696	4971044	52.10%	2.588%
27	17.374	17.288	17.397	BV	382946	4840432	50.73%	2.520%
28	17.428	17.397	17.494	VB	353496	4554231	47.73%	2.371%
29	18.314	18.244	18.368	BB	353996	4545035	47.63%	2.366%
30	18.743	18.661	18.759	BV	363286	5217688	54.68%	2.716%
31	18.779	18.759	18.841	VB	385566	4833629	50.66%	2.516%
32	19.003	18.904	19.054	BB	374148	5008006	52.49%	2.607%
33	19.144	19.068	19.188	BB	358372	4602968	48.24%	2.396%
34	19.926	19.851	19.991	BV	368247	5024133	52.66%	2.615%
35	20.665	20.601	20.711	BB	387717	5523557	57.89%	2.875%
36	21.454	21.401	21.558	BB	341363	6188121	64.85%	3.221%

37 22.461 22.338 22.604 BB 273596 6819244 71.47% 3.550%
Sum of corrected areas: 1925

Aliphatic EPH 011625.M Fri Jan 24 02:25:33 2025

Instrument :

FID_E

ClientSampleId :

PB166186BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :Sohil Jodhani 01/24/2025