

nteres

Instrument :

FID_E

ClientSampleId :

PB166186BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/24/2025

Supervised By :Sohil Jodhani 01/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01232
Data File : FE052015.D
Signal (s) : FID1B.ch
Acq On : 23 Jan 2025 14:35
Sample : PB166186BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.691	3.651	3.761	BB	461682	4169616	43.21%	2.160%
2	4.914	4.881	4.938	BV	493460	4456504	46.19%	2.309%
3	4.963	4.938	5.024	VB	526732	4877341	50.55%	2.527%
4	6.607	6.574	6.671	BB	588171	5342811	55.37%	2.768%
5	7.039	7.004	7.104	BB	505301	4704351	48.75%	2.437%
6	7.686	7.634	7.748	PB	539439	5006907	51.89%	2.594%
7	8.846	8.794	8.901	BB	503623	4909784	50.88%	2.544%
8	8.978	8.924	9.044	BB	573282	5530862	57.32%	2.866%
9	9.275	9.241	9.334	BB	587121	5729377	59.38%	2.968%
10	10.056	10.011	10.114	BB	565199	5615093	58.19%	2.909%
11	10.438	10.401	10.471	BV	483267	4972080	51.53%	2.576%
12	11.455	11.394	11.496	BV	515563	5465849	56.65%	2.832%
13	11.530	11.496	11.588	VV	552773	5457754	56.56%	2.828%
14	11.872	11.828	11.918	BB	469944	5020825	52.03%	2.601%
15	12.205	12.161	12.264	BB	468294	4917791	50.97%	2.548%
16	13.174	13.124	13.224	BV	458879	5158994	53.47%	2.673%
17	13.267	13.224	13.331	VB	501960	5291342	54.84%	2.742%
18	13.567	13.528	13.591	BV	476192	5252286	54.43%	2.721%
19	13.619	13.591	13.684	VB	368983	4057499	42.05%	2.102%
20	13.783	13.744	13.854	BB	438348	4930593	51.10%	2.555%
21	14.366	14.328	14.431	BB	426759	4882567	50.60%	2.530%
22	15.437	15.368	15.450	BV	423693	5260605	54.52%	2.726%
23	15.469	15.450	15.538	VB	510581	9649039	100.00%	4.999%
24	16.482	16.318	16.528	BB	372728	4670126	48.40%	2.420%
25	16.990	16.934	17.006	BV	358805	5023472	52.06%	2.603%
26	17.024	17.006	17.084	VB	474662	5016793	51.99%	2.599%
27	17.372	17.331	17.396	BV	392068	4865878	50.43%	2.521%
28	17.427	17.396	17.501	VB	366035	4597897	47.65%	2.382%
29	18.313	18.241	18.378	BB	351063	4586710	47.54%	2.376%
30	18.742	18.658	18.757	BV	381035	5267750	54.59%	2.729%
31	18.777	18.757	18.838	VB	388880	4881380	50.59%	2.529%
32	19.001	18.904	19.068	BB	377229	5053223	52.37%	2.618%
33	19.142	19.068	19.184	BB	361909	4641935	48.11%	2.405%
34	19.925	19.851	19.990	BV	371214	5072733	52.57%	2.628%
35	20.664	20.601	20.728	BB	395565	5578318	57.81%	2.890%
36	21.453	21.401	21.521	BB	343841	6227847	64.54%	3.227%

37 22.458 22.338 22.588 BB 276251 6864081 71.14% 3.556%
rteres
Sum of corrected areas: 1930

Aliphatic EPH 011625.M Fri Jan 24 02:26:06 2025

Instrument :
FID_E
ClientSampleId :
PB166186BSD

Manual Integrations APPROVED
Reviewed By :Yogesh Patel 01/24/2025
Supervised By :Sohil Jodhani 01/24/2025