

rteres

Instrument :

FID_E

ClientSampleId :

PB166336BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :Ankita Jodhani 01/30/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01292
Data File : FE052120.D
Signal(s) : FID1B.ch
Acq On : 29 Jan 2025 14:24
Sample : PB166336BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 011625.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.683	3.648	3.738	BB	420637	3834720	41.99%	2.227%
2	4.907	4.875	4.930	BV	463776	4141866	45.36%	2.406%
3	4.954	4.930	5.021	VB	492242	4504243	49.32%	2.616%
4	6.598	6.561	6.665	BB	542160	4921493	53.89%	2.859%
5	7.032	6.998	7.095	BB	466637	4373868	47.90%	2.540%
6	7.677	7.631	7.755	PB	484966	4621091	50.60%	2.684%
7	8.839	8.805	8.901	BB	471725	4566671	50.01%	2.652%
8	8.969	8.915	9.035	BB	530908	5100012	55.85%	2.962%
9	9.266	9.235	9.338	VB	542520	5307645	58.12%	3.083%
10	10.047	10.005	10.121	BB	543715	5195696	56.90%	3.018%
11	10.432	10.391	10.468	BV	460442	4643006	50.84%	2.697%
12	11.446	11.388	11.487	BV	486995	5078101	55.61%	2.949%
13	11.521	11.487	11.615	VB	494210	5070838	55.53%	2.945%
14	11.865	11.768	11.925	BB	444180	4704425	51.52%	2.732%
15	12.197	12.151	12.248	BB	422067	4251071	46.55%	2.469%
16	13.167	13.121	13.211	BV	444586	4838077	52.98%	2.810%
17	13.257	13.211	13.335	VB	459796	4952238	54.23%	2.876%
18	13.557	13.505	13.582	BV	464782	4936889	54.06%	2.867%
19	13.611	13.582	13.671	VB	304926	3528867	38.64%	2.050%
20	13.775	13.738	13.841	BB	412141	4628397	50.68%	2.688%
21	14.359	14.321	14.421	BB	398180	4587904	50.24%	2.665%
22	15.425	15.375	15.440	BV	389318	4797197	52.53%	2.786%
23	15.462	15.440	15.525	VB	574958	9131985	100.00%	5.304%
24	16.474	16.435	16.535	BB	377216	4386297	48.03%	2.548%
25	16.978	16.925	16.994	BV	346880	4668455	51.12%	2.712%
26	17.012	16.994	17.068	VV	406028	4656545	50.99%	2.705%
27	17.360	17.315	17.386	BV	368000	4511396	49.40%	2.620%
28	17.420	17.386	17.485	VB	343395	4342559	47.55%	2.522%
29	18.306	18.245	18.368	BB	334651	4319256	47.30%	2.509%
30	18.730	18.678	18.744	BV	367438	4891049	53.56%	2.841%
31	18.764	18.744	18.831	VB	366116	4474252	49.00%	2.599%
32	18.987	18.935	19.051	BB	359263	4671183	51.15%	2.713%
33	19.135	19.095	19.198	BB	318177	4221843	46.23%	2.452%
34	19.917	19.868	20.025	BB	304058	4151969	45.47%	2.412%
35	20.654	20.601	20.728	BB	262645	3856082	42.23%	2.240%
36	21.440	21.401	21.521	BB	205084	3636065	39.82%	2.112%

37 22.440 22.338 22.548 BB 149231 3666579 40.15% 2.130%
rteres
Sum of corrected areas: 1725

Aliphatic EPH 011625.M Thu Jan 30 02:11:59 2025

Instrument :

FID_E

ClientSampleId :

PB166336BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :Ankita Jodhani 01/30/2025