

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013020\
 Data File : FE031253.D
 Signal(s) : FID1B.CH
 Acq On : 30 Jan 2020 12:59
 Operator : DD\AJ
 Sample : 440 TRPH STD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 30 14:44:17 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE013020.M
 Quant Title :
 QLast Update : Thu Jan 30 14:42:36 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.607	1743487	5.446 ug/ml
Target Compounds			
1) N-OCTANE	2.327	12095625	45.719 ug/ml
2) N-NONANE	3.304	12167848	45.467 ug/ml
3) N-DECANE	4.354	18272994	44.845 ug/ml
4) N-UNDECANE	5.383	18232627	67.009 ug/ml
5) N-DODECANE	6.362	18448152	68.126 ug/ml
6) N-TETRADECANE	8.159	18626236	68.294 ug/ml
7) N-HEXADECANE	9.758	15392397	56.700 ug/ml
8) N-OCTADECANE	11.197	7469145	27.888 ug/ml
9) N-EICOSANE	12.507	2902302	11.170 ug/ml
10) N-TETRACOSANE	14.607	1743487	10.892 ug/ml
11) N-OCTACOSANE	16.788	1444481	5.470 ug/ml
12) N-DOTRIACONTANE	18.511	1367313	5.637 ug/ml
14) N-HEXATRIACONTANE	20.037	1120041	5.520 ug/ml
15) N-TETRACONTANE	21.653	791027	5.847 ug/ml
16) N-TETRTETRACOOCTANE	24.352	468852	7.161 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013020\
Data File : FE031253.D
Signal(s) : FID1B.CH
Acq On : 30 Jan 2020 12:59
Operator : DD\AJ
Sample : 440 TRPH STD
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 30 14:44:17 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE013020.M
Quant Title :
QLast Update : Thu Jan 30 14:42:36 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#1 N-OCTANE

R.T.: 2.327 min
Delta R.T.: -0.014 min
Response: 12095625
Conc: 45.72 ug/ml




#2 N-NONANE

R.T.: 3.304 min
Delta R.T.: -0.024 min
Response: 12167848
Conc: 45.47 ug/ml




#3 N-DECANE

R.T.: 4.354 min
Delta R.T.: -0.037 min
Response: 18272994
Conc: 44.84 ug/ml




#4 N-UNDECANE

R.T.: 5.383 min
Delta R.T.: -0.041 min
Response: 18232627
Conc: 67.01 ug/ml




#5 N-DODECANE

R.T.: 6.362 min
Delta R.T.: -0.045 min
Response: 18448152
Conc: 68.13 ug/ml




#6 N-TETRADECANE

R.T.: 8.159 min
Delta R.T.: -0.050 min
Response: 18626236
Conc: 68.29 ug/ml




#7 N-HEXADECANE

R.T.: 9.758 min
Delta R.T.: -0.049 min
Response: 15392397
Conc: 56.70 ug/ml




#8 N-OCTADECANE

R.T.: 11.197 min
Delta R.T.: -0.037 min
Response: 7469145
Conc: 27.89 ug/ml




#9 N-EICOSANE

R.T.: 12.507 min
Delta R.T.: -0.020 min
Response: 2902302
Conc: 11.17 ug/ml




#10 N-TETRACOSANE

R.T.: 14.607 min
Delta R.T.: -0.016 min
Response: 1743487
Conc: 10.89 ug/ml




#11 N-OCTACOSANE

R.T.: 16.788 min
Delta R.T.: -0.012 min
Response: 1444481
Conc: 5.47 ug/ml




#12 N-DOTRIACONTANE

R.T.: 18.511 min
Delta R.T.: -0.014 min
Response: 1367313
Conc: 5.64 ug/ml




#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.607 min
Delta R.T.: -0.016 min
Response: 1743487
Conc: 5.45 ug/ml




#14 N-HEXATRIACONTANE

R.T.: 20.037 min
Delta R.T.: -0.012 min
Response: 1120041
Conc: 5.52 ug/ml



#15 N-TETRACONTANE

R.T.: 21.653 min
Delta R.T.: -0.011 min
Response: 791027
Conc: 5.85 ug/ml



#16 N-TETRTETRACOOCTANE

R.T.: 24.352 min
Delta R.T.: -0.012 min
Response: 468852
Conc: 7.16 ug/ml