

rteres

Instrument :

FID_E

ClientSampleId :

PB166637BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE02102

Data File : FE052319.D

Signal(s) : FID1B.ch

Acq On : 10 Feb 2025 16:27

Sample : PB166637BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh
Patel

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 020325.M

Title : GC Extractables

02/11/2025

Supervised By :Ankita
Jadhav

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max	% of total
1	3.781	3.744	3.854	BB	350691	3183338	40.41%	2.194%
2	5.007	4.974	5.033	BV	385997	3405271	43.22%	2.347%
3	5.059	5.033	5.111	VV	408114	3736295	47.42%	2.576%
4	6.708	6.678	6.778	BB	438902	4079118	51.78%	2.812%
5	7.136	7.098	7.198	BB	391611	3582667	45.47%	2.470%
6	7.790	7.744	7.874	PB	405279	3810603	48.37%	2.627%
7	8.946	8.904	9.011	BB	389741	3730524	47.35%	2.572%
8	9.085	9.034	9.161	BB	434276	4227583	53.66%	2.914%
9	9.381	9.351	9.461	VB	440952	4348792	55.20%	2.998%
10	10.164	10.014	10.224	BB	445540	4301916	54.60%	2.966%
11	10.540	10.504	10.584	BB	375215	3792875	48.14%	2.615%
12	11.565	11.508	11.611	BV	408727	4230502	53.70%	2.916%
13	11.641	11.611	11.704	VB	415351	4221521	53.58%	2.910%
14	11.976	11.888	12.034	BB	368059	3858281	48.97%	2.660%
15	12.314	12.271	12.381	BB	417576	4349485	55.21%	2.998%
16	13.279	13.131	13.338	BV	367192	4004466	50.83%	2.760%
17	13.380	13.338	13.454	PB	399525	4150366	52.68%	2.861%
18	13.680	13.631	13.701	BV	388976	4096273	51.99%	2.824%
19	13.725	13.701	13.788	VB	320846	3611306	45.84%	2.489%
20	13.887	13.851	13.958	BB	356898	3842005	48.77%	2.648%
21	14.471	14.431	14.541	BB	341814	3819796	48.48%	2.633%
22	15.551	15.504	15.580	BV	357537	7878541	100.00%	5.431%
23	15.592	15.580	15.658	VB	365965	3828667	48.60%	2.639%
24	16.586	16.428	16.654	BB	312875	3695506	46.91%	2.548%
25	17.103	17.034	17.118	BV	308163	3922659	49.79%	2.704%
26	17.136	17.118	17.194	VB	357274	3955353	50.20%	2.727%
27	17.485	17.434	17.505	BV	317791	3805039	48.30%	2.623%
28	17.530	17.505	17.562	VV	300665	3591961	45.59%	2.476%
29	18.415	18.361	18.484	BB	275054	3608101	45.80%	2.487%
30	18.854	18.808	18.869	BV	308353	4112366	52.20%	2.835%
31	18.887	18.869	18.954	VB	313007	3814741	48.42%	2.630%
32	19.111	19.064	19.179	BBA	310592	3933760	49.93%	2.712%
33	19.243	19.191	19.308	BB	274561	3525052	44.74%	2.430%
34	20.024	19.961	20.059	BV	258550	3409750	43.28%	2.351%
35	20.762	20.701	20.828	BB	232244	3246009	41.20%	2.238%
36	21.576	21.481	21.619	BBA	171131	3243280	41.17%	2.236%

37 22.621 22.501 22.699 BBA 127035 3109912 39.47% 2.144%
Sum of corrected areas: 1450

Aliphatic EPH 020325.M Tue Feb 11 04:54:07 2025

Instrument :

FID_E

ClientSampleId :

PB166637BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh
Patel

02/11/2025
Supervised By :Ankita
Jodhani

02/11/2025