

rteres

Instrument :

FID_E

ClientSampleId :

PB166666BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/12/2025

Supervised By :Ankita Jodhani 02/12/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE02112
Data File : FE052348.D
Signal(s) : FID1B.ch
Acq On : 11 Feb 2025 14:53
Sample : PB166666BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 020325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.783	3.751	3.848	BB	377737	3371583	42.00%	2.273%
2	5.008	4.978	5.034	BV	404912	3588150	44.70%	2.419%
3	5.060	5.034	5.111	VV	426525	3906767	48.67%	2.634%
4	6.708	6.678	6.781	BB	469201	4243661	52.86%	2.861%
5	7.135	7.101	7.198	BB	410485	3737598	46.56%	2.520%
6	7.789	7.745	7.875	PB	415270	3971874	49.48%	2.678%
7	8.945	8.898	9.008	BB	401227	3886678	48.42%	2.620%
8	9.084	9.051	9.161	BB	463579	4386926	54.65%	2.957%
9	9.381	9.348	9.455	VB	467019	4520592	56.31%	3.048%
10	10.162	10.108	10.238	BB	460795	4481830	55.83%	3.021%
11	10.540	10.501	10.588	BB	404321	3948868	49.19%	2.662%
12	11.564	11.508	11.606	BV	414055	4382706	54.60%	2.955%
13	11.639	11.606	11.741	VB	430856	4394654	54.75%	2.963%
14	11.974	11.935	12.041	BB	391620	4008933	49.94%	2.703%
15	12.313	12.271	12.378	BB	408353	4319811	53.81%	2.912%
16	13.277	13.238	13.335	BV	384178	4146943	51.66%	2.796%
17	13.379	13.335	13.445	VB	398641	4274476	53.25%	2.882%
18	13.679	13.635	13.700	BV	392550	4214078	52.50%	2.841%
19	13.724	13.700	13.788	VB	330998	3585933	44.67%	2.417%
20	13.886	13.848	13.955	BB	367092	3976209	49.53%	2.681%
21	14.470	14.431	14.538	BB	350770	3949008	49.19%	2.662%
22	15.549	15.500	15.578	M	373673	8027484	100.00%	5.412%
23	15.591	15.579	15.655	VB	372439	3915702	48.78%	2.640%
24	16.584	16.425	16.651	BB	319813	3806957	47.42%	2.566%
25	17.101	17.038	17.116	BV	317282	4049601	50.45%	2.730%
26	17.134	17.116	17.201	VB	370529	4068935	50.69%	2.743%
27	17.483	17.431	17.504	BV	335701	3916943	48.79%	2.641%
28	17.529	17.504	17.561	VV	298350	3699293	46.08%	2.494%
29	18.414	18.351	18.478	BB	304246	3715747	46.29%	2.505%
30	18.853	18.801	18.868	BV	314869	4249383	52.94%	2.865%
31	18.886	18.868	18.951	VB	332914	3959856	49.33%	2.669%
32	19.111	19.051	19.180	BBA	317843	4081569	50.84%	2.752%
33	19.242	19.191	19.301	BB	281422	3591762	44.74%	2.421%
34	20.023	19.961	20.058	BV	255905	3339614	41.60%	2.251%
35	20.761	20.701	20.828	BB	224482	3020013	37.62%	2.036%
36	21.575	21.481	21.620	BBA	149342	2877323	35.84%	1.940%

37 22.616 22.518 22.700 BBA 112533 2719582 33.88% 1.833%
rteres
Sum of corrected areas: 1483

Aliphatic EPH 020325.M Wed Feb 12 01:59:57 2025

Instrument :

FID_E

ClientSampleId :

PB166666BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/12/2025
Supervised By :Ankita Jodhani 02/12/2025