

rteres

Instrument :

FID_E

ClientSampleId :

PB166818BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/24/2025

Supervised By :Ankita Jodhani 02/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE02212
Data File : FE052437.D
Signal(s) : FID1B.ch
Acq On : 21 Feb 2025 13:12
Sample : PB166818BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.264	3.111	3.328	BB	590718	5912387	49.77%	2.542%
2	4.522	4.488	4.538	BV	625967	6143193	51.71%	2.642%
3	4.555	4.538	4.610	VV	678320	6744831	56.78%	2.900%
4	6.230	6.195	6.318	BB	733169	7089399	59.68%	3.049%
5	6.699	6.655	6.765	BB	594276	6177083	52.00%	2.656%
6	7.332	7.281	7.428	PB	647680	6486892	54.60%	2.789%
7	8.538	8.471	8.598	BB	577441	6197003	52.16%	2.665%
8	8.641	8.601	8.721	BB	703780	7043686	59.29%	3.029%
9	8.942	8.908	9.011	VB	703086	7212419	60.71%	3.101%
10	9.735	9.648	9.825	BB	655797	7075442	59.56%	3.043%
11	10.152	10.108	10.218	BB	553559	6107395	51.41%	2.626%
12	11.147	11.085	11.186	BV	627159	6786023	57.12%	2.918%
13	11.223	11.186	11.285	VV	620916	6760941	56.91%	2.907%
14	11.602	11.508	11.671	BB	516251	6037640	50.82%	2.596%
15	11.917	11.878	11.971	BB	579928	6232500	52.46%	2.680%
16	12.917	12.875	12.943	BV	515591	6122161	51.53%	2.633%
17	12.974	12.943	13.045	VB	566365	6549105	55.13%	2.816%
18	13.275	13.228	13.305	BV	554215	6475050	54.51%	2.784%
19	13.362	13.305	13.425	VB	403955	4968745	41.83%	2.137%
20	13.531	13.491	13.598	BB	474020	5836831	49.13%	2.510%
21	14.119	14.078	14.185	BB	448350	5773324	48.60%	2.483%
22	15.162	15.115	15.181	BV	469960	6309993	53.12%	2.713%
23	15.207	15.182	15.293	M	578065	11879725	100.00%	5.108%
24	16.251	16.188	16.318	BB	432740	5553019	46.74%	2.388%
25	16.724	16.671	16.740	BV	432450	6193373	52.13%	2.663%
26	16.760	16.740	16.797	VV	520025	6226351	52.41%	2.677%
27	17.107	17.051	17.158	BV	445409	6035554	50.81%	2.595%
28	17.203	17.158	17.268	VB	391523	5535140	46.59%	2.380%
29	18.094	18.028	18.165	BB	405125	5511148	46.39%	2.370%
30	18.485	18.431	18.501	BV	414680	6380558	53.71%	2.744%
31	18.522	18.501	18.611	VB	448370	6052552	50.95%	2.603%
32	18.743	18.688	18.835	BB	423974	6163377	51.88%	2.650%
33	18.927	18.878	19.008	BB	390101	5438675	45.78%	2.339%
34	19.712	19.671	19.791	BB	357454	5448201	45.86%	2.343%
35	20.454	20.401	20.531	BB	345700	5268110	44.35%	2.265%
36	21.196	21.141	21.278	BB	294769	5326848	44.84%	2.291%

37 22.119 22.041 22.241 BB 220881 5497308 46.27% 2.364%
rteres
Sum of corrected areas: 2325

Aliphatic EPH 021325.M Fri Feb 21 23:29:01 2025

Instrument :

FID_E

ClientSampleId :

PB166818BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/24/2025
Supervised By :Ankita Jodhani 02/24/2025