

rteres

Instrument :

FID_E

ClientSampleId :

PB166818BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/24/2025

Supervised By :Ankita Jodhani 02/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE02212
Data File : FE052438.D
Signal(s) : FID1B.ch
Acq On : 21 Feb 2025 13:42
Sample : PB166818BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.265	3.231	3.325	BB	604124	5999913	49.58%	2.543%
2	4.522	4.488	4.538	BV	634575	6221473	51.41%	2.637%
3	4.556	4.538	4.611	VV	682036	6837821	56.51%	2.898%
4	6.229	6.195	6.318	BB	734294	7170380	59.26%	3.039%
5	6.698	6.655	6.755	BB	615310	6241827	51.58%	2.646%
6	7.331	7.295	7.418	BB	650839	6557585	54.19%	2.779%
7	8.536	8.495	8.601	BB	589704	6247355	51.63%	2.648%
8	8.638	8.608	8.711	BB	690683	7114306	58.79%	3.015%
9	8.940	8.902	9.008	VB	716827	7280159	60.16%	3.086%
10	9.732	9.691	9.815	BB	681700	7138436	58.99%	3.026%
11	10.149	10.108	10.218	BB	540212	6145138	50.78%	2.605%
12	11.143	11.081	11.185	BV	631761	6860740	56.70%	2.908%
13	11.219	11.185	11.278	VV	623190	6840336	56.53%	2.899%
14	11.597	11.505	11.668	BB	521436	6069672	50.16%	2.573%
15	11.914	11.861	11.981	BB	573968	6293404	52.01%	2.667%
16	12.913	12.871	12.939	BV	515558	6165397	50.95%	2.613%
17	12.970	12.939	13.041	VB	571591	6655742	55.00%	2.821%
18	13.270	13.228	13.301	BV	561044	6585220	54.42%	2.791%
19	13.358	13.301	13.428	VB	394296	5014695	41.44%	2.125%
20	13.527	13.485	13.598	BB	481272	5883227	48.62%	2.494%
21	14.115	14.075	14.185	BB	463865	5824641	48.13%	2.469%
22	15.157	15.101	15.176	BV	493424	6444434	53.26%	2.731%
23	15.202	15.176	15.285	VB	592924	12100854	100.00%	5.129%
24	16.246	16.181	16.315	BB	419368	5630773	46.53%	2.387%
25	16.719	16.665	16.735	BV	421847	6344159	52.43%	2.689%
26	16.754	16.735	16.792	VV	524631	6339189	52.39%	2.687%
27	17.101	17.045	17.145	BV	469863	6155665	50.87%	2.609%
28	17.197	17.145	17.261	VB	412197	5634269	46.56%	2.388%
29	18.088	18.018	18.165	BB	403824	5622103	46.46%	2.383%
30	18.479	18.425	18.496	BV	433828	6494638	53.67%	2.753%
31	18.518	18.496	18.618	VB	469842	6209847	51.32%	2.632%
32	18.738	18.675	18.828	BB	435672	6276678	51.87%	2.660%
33	18.922	18.875	19.008	BB	376898	5568095	46.01%	2.360%
34	19.710	19.671	19.791	BB	362565	5549631	45.86%	2.352%
35	20.451	20.401	20.521	BB	351548	5374951	44.42%	2.278%
36	21.194	21.141	21.278	BB	304678	5433997	44.91%	2.303%

37 22.114 22.041 22.225 BB 227852 5603890 46.31% 2.375%
rteres
Sum of corrected areas: 2359

Aliphatic EPH 021325.M Fri Feb 21 23:27:38 2025

Instrument :

FID_E

ClientSampleId :

PB166818BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/24/2025

Supervised By :Ankita Jodhani 02/24/2025