

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022223\
 Data File : FE040498.D
 Signal(s) : FID1B.ch
 Acq On : 22 Feb 2023 18:38
 Operator : YP\AJ
 Sample : 01627-02
 Misc : 5 PPM SOIL LOQ
 ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 23 02:24:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE022123.M
 Quant Title :
 QLast Update : Wed Feb 22 06:24:20 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.973	2541925	19.250 ug/ml
Target Compounds			
2) N-DECANE	4.525	665579	4.872 ug/ml
3) N-DODECANE	6.692	666143	4.781 ug/ml
4) N-TETRADECANE	8.518	716528	5.007 ug/ml
5) N-HEXADECANE	10.126	765239	5.156 ug/ml
6) N-OCTADECANE	11.567	797802	5.261 ug/ml
7) N-EICOSANE	12.875	799640	5.258 ug/ml
8) N-DOCOSANE	14.074	795839	5.363 ug/ml
10) N-TETRACOSANE	15.177	789281	5.337 ug/ml
11) N-HEXACOSANE	16.199	773427	5.343 ug/ml
12) N-OCTACOSANE	17.150	760474	5.373 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022223\
Data File : FE040498.D
Signal(s) : FID1B.ch
Acq On : 22 Feb 2023 18:38
Operator : YP\AJ
Sample : 01627-02
Misc : 5 PPM SOIL LOQ
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 23 02:24:55 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE022123.M
Quant Title :
QLast Update : Wed Feb 22 06:24:20 2023
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 665579
Conc: 4.87 ug/ml




#3 N-DODECANE

R.T.: 6.692 min
Delta R.T.: -0.001 min
Response: 666143
Conc: 4.78 ug/ml




#4 N-TETRADECANE

R.T.: 8.518 min
Delta R.T.: -0.002 min
Response: 716528
Conc: 5.01 ug/ml




#5 N-HEXADECANE

R.T.: 10.126 min
Delta R.T.: -0.002 min
Response: 765239
Conc: 5.16 ug/ml




#6 N-OCTADECANE

R.T.: 11.567 min
Delta R.T.: -0.002 min
Response: 797802
Conc: 5.26 ug/ml




#7 N-EICOSANE

R.T.: 12.875 min
Delta R.T.: -0.003 min
Response: 799640
Conc: 5.26 ug/ml




#8 N-DOCOSANE

R.T.: 14.074 min
Delta R.T.: -0.003 min
Response: 795839
Conc: 5.36 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.973 min
Delta R.T.: -0.004 min
Response: 2541925
Conc: 19.25 ug/ml




#10 N-TETRACOSANE

R.T.: 15.177 min
Delta R.T.: -0.003 min
Response: 789281
Conc: 5.34 ug/ml



#11 N-HEXACOSANE

R.T.: 16.199 min
Delta R.T.: -0.004 min
Response: 773427
Conc: 5.34 ug/ml



#12 N-OCTACOSANE

R.T.: 17.150 min
Delta R.T.: -0.004 min
Response: 760474
Conc: 5.37 ug/ml