

Instrument :

FID_E

ClientSampleId :

PB159208BSD

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE

Data File : FE046906.D

Signal(s) : FID1B.ch

Acq On : 22 Feb 2024 16:59

Sample : PB159208BSD

Misc :

ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 02/23/2024

Supervised By :Ankita Jodhani 02/23/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 022024.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.201	3.158	3.365	BB	580581	6283644	37.60%	2.509%
2	4.444	4.402	4.461	BV	682484	6694258	40.06%	2.673%
3	4.478	4.461	4.680	VB	692859	7772266	46.51%	3.103%
4	6.142	6.105	6.427	BB	637153	8118737	48.58%	3.241%
5	6.606	6.561	6.732	BV	731398	7747648	46.36%	3.093%
6	7.238	7.207	7.432	PV	601211	8045753	48.15%	3.212%
7	8.432	8.380	8.509	BV	710493	8009290	47.93%	3.198%
8	8.536	8.509	8.719	VV	679066	8440822	50.51%	3.370%
9	8.835	8.807	9.119	VB	681630	8823791	52.80%	3.523%
10	9.627	9.585	9.796	BV	471770	8017752	47.98%	3.201%
11	10.039	9.998	10.208	BB	640122	7885674	47.19%	3.148%
12	11.036	10.976	11.090	BV	455417	7076979	42.35%	2.825%
13	11.116	11.090	11.264	VV	361597	8141379	48.72%	3.250%
14	11.482	11.432	11.625	BB	614596	7894642	47.24%	3.152%
15	11.794	11.739	11.967	BB	464473	6212161	37.17%	2.480%
16	12.793	12.700	12.833	BV	631976	7823538	46.82%	3.124%
17	12.862	12.833	13.032	VV	401966	7519044	45.00%	3.002%
18	13.161	13.127	13.209	VV	365389	6860548	41.05%	2.739%
19	13.236	13.209	13.364	VV	394424	5771893	34.54%	2.304%
20	13.404	13.364	13.520	VB	574232	7513683	44.96%	3.000%
21	13.990	13.950	14.127	BB	552342	7328039	43.85%	2.926%
22	15.051	15.002	15.069	BV	311248	5032676	30.12%	2.009%
23	15.094	15.069	15.397	VB	853764	16710839	100.00%	6.672%
24	16.116	16.037	16.198	BB	492630	7032266	42.08%	2.808%
25	16.625	16.524	16.633	BV	283466	4345444	26.00%	1.735%
26	16.652	16.633	16.922	VV	395103	10650748	63.74%	4.252%
27	17.016	16.967	17.020	BBA	26310	-376083	-2.25%	-0.150%
28	17.064	17.021	17.326	BB	366863	-5816412	-34.81%	-2.322%
29	17.954	17.891	18.028	BB	460514	6945838	41.56%	2.773%
30	18.423	18.367	18.425	M	373169	6814735	40.78%	2.721%
31	18.429	18.428	18.545	M	363816	7800079	46.68%	3.114%

					rtres			
32	18.661	18.619	18.701	PBA	130862	2957177	17.70%	1.181%
33	18.785	18.733	18.979	BB	424445	475541		
34	19.570	19.501	19.632	BV	395970	651941		
35	20.312	20.253	20.382	BV	376057	624588		
36	21.034	20.970	21.119	BBA	326056	634058		
37	21.912	21.810	22.060	BV	241888	6528434	39.07%	2.606%
Sum of corrected areas:						250468591		

Instrument :
FID_E
ClientSampleId :
PB159208BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/23/2024
Supervised By :Ankita Jodhani 02/23/2024

Aliphatic EPH 022024.M Fri Feb 23 01:11:11 2024