

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022525AL\
 Data File : FE052481.D
 Signal(s) : FID1B.ch
 Acq On : 25 Feb 2025 09:33
 Operator : YP\AJ
 Sample : Q1411-01DL 5X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 HR-02-02212025DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/26/2025
 Supervised By :Ankita Jodhani 02/26/2025

Integration File: autoint1.e
 Quant Time: Feb 26 03:05:44 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 14 00:50:00 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.920	1096211	5.864 ug/ml
Spiked Amount 50.000		Recovery =	11.73%
12) S 1-chlorooctadecane (S...	13.364	853881	6.143 ug/mlm
Spiked Amount 50.000		Recovery =	12.29%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022525AL\
Data File : FE052481.D
Signal(s) : FID1B.ch
Acq On : 25 Feb 2025 09:33
Operator : YP\AJ
Sample : Q1411-01DL 5X
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
HR-02-02212025DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/26/2025
Supervised By :Ankita Jodhani 02/26/2025

Integration File: autoint1.e
Quant Time: Feb 26 03:05:44 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.
Quant Title : GC Extractables
QLast Update : Fri Feb 14 00:50:00 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.920 min
Delta R.T.: 0.003 min
Response: 1096211
Conc: 5.86 ug/ml

Instrument :
FID_E
ClientSampleId :
HR-02-02212025DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/26/2025
Supervised By :Ankita Jodhani 02/26/2025



#12 1-chlorooctadecane (SURR)

R.T.: 13.364 min
Delta R.T.: 0.000 min
Response: 853881
Conc: 6.14 ug/ml m