

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022525AL\
 Data File : FE052483.D
 Signal(s) : FID1B.ch
 Acq On : 25 Feb 2025 10:33
 Operator : YP\AJ
 Sample : Q1411-03DL 5X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 HR-03-02212025DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/26/2025
 Supervised By :Ankita Jodhani 02/26/2025

Integration File: autoint1.e
 Quant Time: Feb 26 03:06:26 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 14 00:50:00 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.915	1446799	7.740 ug/mlm
Spiked Amount	50.000	Recovery	= 15.48%
12) S 1-chlorooctadecane (S...	13.360	1148105	8.260 ug/mlm
Spiked Amount	50.000	Recovery	= 16.52%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE022525AL\
Data File : FE052483.D
Signal(s) : FID1B.ch
Acq On : 25 Feb 2025 10:33
Operator : YP\AJ
Sample : Q1411-03DL 5X
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
HR-03-02212025DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/26/2025
Supervised By :Ankita Jodhani 02/26/2025

Integration File: autoint1.e
Quant Time: Feb 26 03:06:26 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 021325.
Quant Title : GC Extractables
QLast Update : Fri Feb 14 00:50:00 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.915 min
Delta R.T.: -0.001 min
Response: 1446799
Conc: 7.74 ug/ml

Instrument :
FID_E
ClientSampleId :
HR-03-02212025DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/26/2025
Supervised By :Ankita Jodhani 02/26/2025



#12 1-chlorooctadecane (SURR)

R.T.: 13.360 min
Delta R.T.: -0.004 min
Response: 1148105
Conc: 8.26 ug/ml m