

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052575.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 11:34
 Operator : YP\AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 03 12:40:59 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 12:40:45 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.915	7890446	48.995 ug/ml
Spiked Amount 50.000		Recovery =	97.99%
12) S 1-chlorooctadecane (S...	13.358	5721300	49.036 ug/ml
Spiked Amount 50.000		Recovery =	98.07%
Target Compounds			
1) T n-Nonane (C9)	3.254	7262625	48.981 ug/ml
2) T n-Decane (C10)	4.517	7350604	48.938 ug/ml
3) T A~Naphthalene (C11.7)	6.230	8003588	49.026 ug/ml
4) T n-Dodecane (C12)	6.698	7295684	48.957 ug/ml
5) T A~2-methylnaphthalene...	7.333	7667442	49.056 ug/ml
6) T n-Tetradecane (C14)	8.535	7087970	48.937 ug/ml
7) T n-Hexadecane (C16)	10.150	7163759	48.973 ug/ml
8) T n-Octadecane (C18)	11.599	7114585	48.985 ug/ml
10) T n-Eicosane (C20)	12.913	6790047	49.002 ug/ml
11) T n-Heneicosane (C21)	13.527	6654465	48.971 ug/ml
13) T n-Docosane (C22)	14.115	6651959	49.037 ug/ml
14) T n-Tetracosane (C24)	15.221	6697431	49.266 ug/ml
15) T n-Hexacosane (C26)	16.246	6641490	49.320 ug/ml
16) T n-Octacosane (C28)	17.198	6557098	49.148 ug/ml
17) T n-Tricontane (C30)	18.088	6637939	48.751 ug/ml
18) T n-Dotriacontane (C32)	18.923	6417064	48.341 ug/ml
19) T n-Tetratriacontane (C34)	19.709	5988221	48.220 ug/ml
20) T n-Hexatriacontane (C36)	20.451	5353171	48.282 ug/ml
21) T n-Octatriacontane (C38)	21.193	5101404	48.566 ug/ml
22) T n-Tetracontane (C40)	22.116	5019598	48.800 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052575.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 11:34
Operator : YP\AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 03 12:40:59 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 12:40:45 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.254 min
Delta R.T.: 0.000 min
Response: 7262625
Conc: 48.98 ug/ml

Instrument :
FID_E
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 7350604
Conc: 48.94 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 8003588
Conc: 49.03 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.698 min
Delta R.T.: 0.000 min
Response: 7295684
Conc: 48.96 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.333 min
Delta R.T.: 0.000 min
Response: 7667442
Conc: 49.06 ug/ml

Instrument :
FID_E
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.535 min
Delta R.T.: 0.000 min
Response: 7087970
Conc: 48.94 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.150 min
Delta R.T.: 0.000 min
Response: 7163759
Conc: 48.97 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.599 min
Delta R.T.: 0.000 min
Response: 7114585
Conc: 48.99 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.915 min
Delta R.T.: 0.000 min
Response: 7890446
Conc: 49.00 ug/ml

Instrument :
FID_E
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.913 min
Delta R.T.: 0.000 min
Response: 6790047
Conc: 49.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.527 min
Delta R.T.: 0.000 min
Response: 6654465
Conc: 48.97 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.358 min
Delta R.T.: 0.000 min
Response: 5721300
Conc: 49.04 ug/ml



#13 n-Docosane (C22)


R.T.: 14.115 min
Delta R.T.: 0.000 min
Response: 6651959
Conc: 49.04 ug/ml

Instrument :
FID_E
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 15.221 min
Delta R.T.: 0.000 min
Response: 6697431
Conc: 49.27 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.246 min
Delta R.T.: 0.000 min
Response: 6641490
Conc: 49.32 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.198 min
Delta R.T.: 0.000 min
Response: 6557098
Conc: 49.15 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.088 min
Delta R.T.: 0.000 min
Response: 6637939
Conc: 48.75 ug/ml

Instrument :
FID_E
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.923 min
Delta R.T.: 0.000 min
Response: 6417064
Conc: 48.34 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.709 min
Delta R.T.: 0.000 min
Response: 5988221
Conc: 48.22 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.451 min
Delta R.T.: 0.000 min
Response: 5353171
Conc: 48.28 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.193 min
Delta R.T.: 0.000 min
Response: 5101404
Conc: 48.57 ug/ml

Instrument :
FID_E
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 22.116 min
Delta R.T.: 0.000 min
Response: 5019598
Conc: 48.80 ug/ml