

rteres

Instrument :

FID_E

ClientSampleId :

PB143313BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/15/2022
Supervised By :Ankita Jodhani 03/15/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03142
Data File : FE035310.D
Signal(s) : FID1B.CH
Acq On : 14 Mar 2022 17:55
Sample : PB143313BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 022822.M
Title : GC Extractables

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.211	3.176	3.284	BB	710546	5938023	89.75%	3.045%
2	4.255	4.218	4.273	BV	696156	6135239	92.73%	3.146%
3	4.293	4.273	4.380	VB	733883	6616416	100.00%	3.393%
4	5.817	5.781	5.921	BB	698312	6580593	99.46%	3.374%
5	6.253	6.209	6.327	BB	620786	6113991	92.41%	3.135%
6	6.867	6.819	6.985	BB	612446	6293409	95.12%	3.227%
7	8.041	7.994	8.108	BB	583621	6046306	91.38%	3.100%
8	8.140	8.111	8.239	BB	584834	5957929	90.05%	3.055%
9	8.436	8.390	8.524	BB	601988	6320582	95.53%	3.241%
10	9.217	9.171	9.324	BB	558600	5995603	90.62%	3.074%
11	9.633	9.587	9.699	BB	536929	5955034	90.00%	3.054%
12	10.612	10.549	10.656	BV	503722	5642524	85.28%	2.893%
13	10.688	10.656	10.801	VB	472416	5501948	83.16%	2.821%
14	11.070	11.021	11.133	BB	500655	5956256	90.02%	3.054%
15	11.378	11.327	11.444	BB	431253	4641004	70.14%	2.380%
16	12.373	12.318	12.395	BV	476019	5651300	85.41%	2.898%
17	12.422	12.395	12.515	VB	436672	5302199	80.14%	2.719%
18	12.718	12.666	12.754	BV	446818	5211165	78.76%	2.672%
19	12.812	12.782	12.881	VB	291143	3505062	52.98%	1.797%
20	12.983	12.931	13.044	BB	469951	5519962	83.43%	2.831%
21	13.566	13.513	13.630	BB	440351	5400005	81.62%	2.769%
22	14.592	14.541	14.612	BV	371512	4986462	75.36%	2.557%
23	14.636	14.612	14.649	VV	404093	5096714	77.03%	2.614%
24	14.664	14.649	14.770	VB	424143	5269243	79.64%	2.702%
25	15.681	15.633	15.759	BB	369660	4946683	74.76%	2.537%
26	16.145	16.088	16.160	BV	322738	4951849	74.84%	2.539%
27	16.181	16.160	16.304	VB	406167	5382724	81.35%	2.760%
28	16.524	16.463	16.586	BV	323192	4597564	69.49%	2.358%
29	16.625	16.586	16.724	VB	352872	4883740	73.81%	2.504%
30	17.511	17.459	17.604	BB	320608	4600436	69.53%	2.359%
31	17.893	17.825	17.909	BV	275788	4191122	63.34%	2.149%
32	17.932	17.909	18.087	VB	329306	5396116	81.56%	2.767%
33	18.151	18.091	18.293	BV	300891	4892376	73.94%	2.509%
34	18.338	18.293	18.444	VB	295167	4355493	65.83%	2.233%
35	19.118	19.054	19.222	BB	254685	3818045	57.71%	1.958%
36	19.853	19.425	19.959	BV	204919	2888917	43.66%	1.481%

rteres
 37 20.555 20.511 20.610 M 152978 2366228 35.76% 1.213%
 38 21.375 21.318 21.501 VBA 93075 2103537 35.76% 1.213%
 Sum of corrected areas: 1950

Aliphatic EPH 022822.M Tue Mar 15 11:05:44 2022

Instrument :
 FID_E
 ClientSampleId :
 PB143313BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/15/2022
 Supervised By :Ankita Jodhani 03/15/2022