

rteres

Instrument :

FID\_E

ClientSampleId :

PB143359BL

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_E\Data\FE03152

Data File : FE035347.D

Signal(s) : FID1B.CH

Acq On : 15 Mar 2022 20:56

Sample : PB143359BL

Misc :

ALS Vial : 4 Sample Multiplier: 1

Reviewed By :Yogesh Patel 03/17/2022

Supervised By :Ankita Jodhani 03/17/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_E\methods\Aliphatic EPH 022822.M

Title : GC Extractables

Signal : FID1B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 3.193       | 3.158        | 3.260      | BB       | 584456         | 4779695      | 70.68%         | 2.161%        |
| 2         | 4.243       | 4.203        | 4.262      | BV       | 593195         | 5160954      | 76.31%         | 2.333%        |
| 3         | 4.280       | 4.262        | 4.371      | VB       | 614405         | 5537958      | 81.89%         | 2.504%        |
| 4         | 5.807       | 5.770        | 5.923      | BB       | 626572         | 6140567      | 90.80%         | 2.776%        |
| 5         | 6.246       | 6.203        | 6.321      | BB       | 594685         | 5845829      | 86.44%         | 2.643%        |
| 6         | 6.858       | 6.815        | 6.970      | BB       | 628947         | 6322746      | 93.49%         | 2.859%        |
| 7         | 7.470       | 7.433        | 7.565      | BB       | 463243         | 4709274      | 69.64%         | 2.129%        |
| 8         | 8.034       | 7.988        | 8.099      | BV       | 599250         | 6232349      | 92.16%         | 2.818%        |
| 9         | 8.132       | 8.099        | 8.231      | PB       | 624848         | 6318427      | 93.43%         | 2.857%        |
| 10        | 8.328       | 8.287        | 8.396      | BV       | 293103         | 3127348      | 46.24%         | 1.414%        |
| 11        | 8.428       | 8.396        | 8.529      | VB       | 655960         | 6762737      | 100.00%        | 3.058%        |
| 12        | 9.207       | 9.162        | 9.323      | BB       | 601472         | 6516814      | 96.36%         | 2.946%        |
| 13        | 9.626       | 9.582        | 9.684      | BB       | 589021         | 6340112      | 93.75%         | 2.867%        |
| 14        | 10.601      | 10.538       | 10.645     | BV       | 562323         | 6225674      | 92.06%         | 2.815%        |
| 15        | 10.677      | 10.645       | 10.797     | VB       | 527642         | 6123167      | 90.54%         | 2.768%        |
| 16        | 11.062      | 11.018       | 11.119     | BB       | 580126         | 6462892      | 95.57%         | 2.922%        |
| 17        | 11.370      | 11.325       | 11.427     | BB       | 469916         | 5139913      | 76.00%         | 2.324%        |
| 18        | 12.365      | 12.280       | 12.385     | BV       | 551479         | 6241086      | 92.29%         | 2.822%        |
| 19        | 12.410      | 12.385       | 12.513     | VB       | 508176         | 5861780      | 86.68%         | 2.650%        |
| 20        | 12.706      | 12.660       | 12.746     | BV       | 489412         | 5750713      | 85.04%         | 2.600%        |
| 21        | 12.803      | 12.773       | 12.872     | VB       | 343934         | 3952719      | 58.45%         | 1.787%        |
| 22        | 12.974      | 12.932       | 13.035     | BB       | 503688         | 6118273      | 90.47%         | 2.766%        |
| 23        | 13.557      | 13.517       | 13.616     | BB       | 508010         | 6012110      | 88.90%         | 2.718%        |
| 24        | 14.579      | 14.526       | 14.597     | BV       | 406804         | 5471648      | 80.91%         | 2.474%        |
| 25        | 14.621      | 14.597       | 14.635     | VV       | 441722         | 5417410      | 80.11%         | 2.449%        |
| 26        | 14.654      | 14.635       | 14.747     | VB       | 464866         | 5962171      | 88.16%         | 2.696%        |
| 27        | 15.672      | 15.630       | 15.728     | BB       | 445213         | 5591912      | 82.69%         | 2.528%        |
| 28        | 16.129      | 16.081       | 16.144     | BV       | 360995         | 5478215      | 81.01%         | 2.477%        |
| 29        | 16.164      | 16.144       | 16.268     | VB       | 460814         | 5712115      | 84.46%         | 2.583%        |
| 30        | 16.507      | 16.455       | 16.576     | BV       | 359337         | 5024584      | 74.30%         | 2.272%        |
| 31        | 16.614      | 16.576       | 16.695     | VB       | 398364         | 5467167      | 80.84%         | 2.472%        |
| 32        | 17.500      | 17.442       | 17.573     | BB       | 379955         | 5205893      | 76.98%         | 2.354%        |
| 33        | 17.873      | 17.813       | 17.889     | BV       | 321849         | 4757320      | 70.35%         | 2.151%        |
| 34        | 17.914      | 17.889       | 18.048     | VB       | 379084         | 5641209      | 83.42%         | 2.551%        |
| 35        | 18.131      | 18.068       | 18.273     | BB       | 336502         | 5272714      | 77.97%         | 2.384%        |
| 36        | 18.326      | 18.278       | 18.412     | BB       | 358564         | 5075742      | 75.05%         | 2.295%        |

|    |        |        |        |    |        |         |        |        |
|----|--------|--------|--------|----|--------|---------|--------|--------|
|    |        |        |        |    |        | rters   |        |        |
| 37 | 19.106 | 19.039 | 19.183 | BB | 352958 | 5017478 | 74.19% | 2.269% |
| 38 | 19.842 | 19.721 | 19.915 | BB | 335332 | 4871821 | 72     |        |
| 39 | 20.545 | 20.154 | 20.633 | BB | 295114 | 4837830 | 71     |        |
| 40 | 21.359 | 21.285 | 21.473 | BB | 213398 | 4691077 | 69     |        |

Sum of corrected areas: 2211

Instrument :  
FID\_E  
ClientSampleId :  
PB143359BL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/17/2022  
Supervised By :Ankita Jodhani 03/17/2022

Aliphatic EPH 022822.M Wed Mar 16 09:00:00 2022