

rteres

Instrument :

FID_E

ClientSampleId :

PB159632BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/19/2024

Supervised By :mohammad ahmed 03/19/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03182
Data File : FE047200.D
Signal(s) : FID1B.ch
Acq On : 18 Mar 2024 15:02
Sample : PB159632BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 031324.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.377	3.346	3.467	PB	729287	7017037	60.46%	3.061%
2	4.623	4.578	4.640	BV	771307	7317172	63.04%	3.191%
3	4.658	4.640	4.729	VB	767556	7534214	64.91%	3.286%
4	6.320	6.273	6.469	BB	788074	7689454	66.25%	3.354%
5	6.781	6.736	6.831	BB	757942	7474299	64.39%	3.260%
6	8.041	7.995	8.115	BB	628251	6094588	52.51%	2.658%
7	8.610	8.562	8.667	BB	701401	7461679	64.29%	3.254%
8	8.716	8.667	8.835	BB	734829	7366985	63.47%	3.213%
9	9.017	8.983	9.119	VB	716232	7344257	63.27%	3.203%
10	9.804	9.757	9.903	BB	659026	7044869	60.70%	3.073%
11	10.216	10.174	10.272	BB	682197	7383220	63.61%	3.220%
12	11.210	11.138	11.252	BV	568190	6419360	55.31%	2.800%
13	11.284	11.252	11.436	VV	565429	6397195	55.12%	2.790%
14	11.658	11.605	11.737	BB	666679	7496724	64.59%	3.270%
15	11.977	11.927	12.030	BB	568657	6264979	53.98%	2.732%
16	12.967	12.878	12.995	BV	624091	7492344	64.55%	3.268%
17	13.027	12.995	13.174	VB	494255	6038742	52.03%	2.634%
18	13.326	13.275	13.362	BV	494919	5945119	51.22%	2.593%
19	13.409	13.362	13.502	VB	457245	5334383	45.96%	2.327%
20	13.578	13.527	13.657	BB	615325	7271803	62.65%	3.172%
21	14.163	14.085	14.237	BB	589262	7214225	62.15%	3.147%
22	15.200	15.143	15.219	BV	301773	4052198	34.91%	1.767%
23	15.263	15.219	15.413	VV	584512	11606988	100.00%	5.062%
24	16.284	16.211	16.382	BB	516873	6977472	60.11%	3.043%
25	16.750	16.683	16.766	BV	237578	3144218	27.09%	1.371%
26	16.783	16.766	16.833	VV	255810	3178513	27.38%	1.386%
27	17.128	17.084	17.191	PV	194426	2689176	23.17%	1.173%
28	17.230	17.191	17.339	VB	515036	7056573	60.80%	3.078%
29	18.116	18.051	18.213	BB	493437	6882427	59.30%	3.002%
30	18.491	18.306	18.510	BV	124931	1615945	13.92%	0.705%
31	18.531	18.510	18.680	VV	99959	1758801	15.15%	0.767%
32	18.747	18.680	18.841	VBA	154013	2231484	19.23%	0.973%
33	18.946	18.885	19.066	BB	473251	6714091	57.85%	2.928%
34	19.728	19.660	19.828	BB	446010	6634802	57.16%	2.894%
35	20.466	20.401	20.553	BV	439580	6420990	55.32%	2.801%
36	21.208	21.135	21.383	BB	352394	6461065	55.67%	2.818%

37 22.136 22.047 22.253 BV 260740 6249732 53.84% 2.726%
rteres
Sum of corrected areas: 2292

Aliphatic EPH 031324.M Tue Mar 19 04:25:25 2024

Instrument :

FID_E

ClientSampleId :

PB159632BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/19/2024

Supervised By :mohammad ahmed 03/19/2024