

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE031921\
Data File : FE033412.D
Signal(s) : FID1B.CH
Acq On : 19 Mar 2021 9:55
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE031621.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.488	4.449	4.531	BB	2136174	21217032	94.59%	8.875%
2	6.502	6.453	6.541	BB	1967084	21569794	96.16%	9.023%
3	8.299	8.248	8.329	BB	1935468	22133756	98.67%	9.259%
4	9.900	9.847	9.931	BB	1873036	22107489	98.55%	9.248%
5	11.343	11.285	11.378	BB	1748993	22431696	100.00%	9.383%
6	12.653	12.597	12.695	BB	1714751	22328904	99.54%	9.340%
7	13.852	13.794	13.885	BB	1590489	22226303	99.08%	9.297%
8	14.750	14.692	14.802	BB	1318821	19415416	86.55%	8.122%
9	14.957	14.897	15.000	BB	1604471	22186496	98.91%	9.281%
10	15.976	15.915	16.021	BB	1550749	21818821	97.27%	9.127%
11	16.926	16.865	16.967	BB	1486564	21622154	96.39%	9.045%
Sum of corrected areas:						239057860		

FE031621.M Mon Mar 22 09:33:59 2021