

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032019\
 Data File : FE029737.D
 Signal(s) : FID1B.CH
 Acq On : 20 Mar 2019 12:52
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 20 16:06:25 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
 Quant Title :
 QLast Update : Wed Mar 20 08:08:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.659	7634220	46.030 ug/ml
Target Compounds			
1) N-OCTANE	2.359	51806958	394.603 ug/ml
2) N-NONANE	3.357	55774811	398.080 ug/ml
3) N-DECANE	4.428	89204922	400.121 ug/ml
4) N-UNDECANE	5.466	93726334	601.142 ug/ml
5) N-DODECANE	6.452	97123935	600.459 ug/ml
6) N-TETRADECANE	8.255	103837289	594.039 ug/ml
7) N-HEXADECANE	9.855	88996845	486.164 ug/ml
8) N-OCTADECANE	11.278	44338031	237.335 ug/ml
9) N-EICOSANE	12.570	17147642	94.446 ug/ml
10) N-TETRACOSANE	14.873	14423362	92.104 ug/ml
11) N-OCTACOSANE	16.836	6903559	47.766 ug/ml
12) N-DOTRIACONTANE	18.561	7392431	45.114 ug/ml
14) N-HEXATRIACONTANE	20.087	7085217	49.017 ug/ml
15) N-TETRACONTANE	21.712	6544891	52.568 ug/ml
16) N-TETRTETRACOOCTANE	24.408	5593805	57.209 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032019\
Data File : FE029737.D
Signal(s) : FID1B.CH
Acq On : 20 Mar 2019 12:52
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 20 16:06:25 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
Quant Title :
QLast Update : Wed Mar 20 08:08:03 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

