

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032019\
 Data File : FE029742.D
 Signal(s) : FID1B.CH
 Acq On : 20 Mar 2019 16:13
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 20 16:42:51 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
 Quant Title :
 QLast Update : Wed Mar 20 08:08:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.659	7877732	47.498 ug/ml
Target Compounds			
1) N-OCTANE	2.356	50806870	386.986 ug/ml
2) N-NONANE	3.355	54839427	391.404 ug/ml
3) N-DECANE	4.428	87854199	394.062 ug/ml
4) N-UNDECANE	5.465	92588644	593.845 ug/ml
5) N-DODECANE	6.452	96309896	595.426 ug/ml
6) N-TETRADECANE	8.254	104006746	595.009 ug/ml
7) N-HEXADECANE	9.854	90074646	492.052 ug/ml
8) N-OCTADECANE	11.279	45231821	242.119 ug/ml
9) N-EICOSANE	12.570	17603324	96.955 ug/ml
10) N-TETRACOSANE	14.873	14859282	94.887 ug/ml
11) N-OCTACOSANE	16.836	6990421	48.367 ug/ml
12) N-DOTRIACONTANE	18.559	7424694	45.311 ug/ml
14) N-HEXATRIACONTANE	20.086	7114675	49.220 ug/ml
15) N-TETRACONTANE	21.710	6463152	51.912 ug/ml
16) N-TETRTETRACOOCTANE	24.400	4814238	49.236 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032019\
Data File : FE029742.D
Signal(s) : FID1B.CH
Acq On : 20 Mar 2019 16:13
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 20 16:42:51 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
Quant Title :
QLast Update : Wed Mar 20 08:08:03 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

