

rteres

Instrument :

FID_E

ClientSampleId :

PB167227BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/21/2025

Supervised By :mohammad ahmed 03/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03202
Data File : FE052885.D
Signal(s) : FID1B.ch
Acq On : 20 Mar 2025 14:09
Sample : PB167227BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.257	3.225	3.345	BB	681769	6783665	44.03%	2.270%
2	4.515	4.475	4.531	BV	733332	7208863	46.78%	2.412%
3	4.549	4.531	4.645	VB	759152	7758968	50.35%	2.596%
4	6.224	6.188	6.318	BB	845457	8402279	54.53%	2.811%
5	6.691	6.648	6.768	BB	763002	7825305	50.79%	2.618%
6	7.326	7.281	7.431	PB	776617	7961362	51.67%	2.664%
7	8.530	8.475	8.591	BV	761142	8243766	53.50%	2.758%
8	8.634	8.591	8.741	PB	862057	8650545	56.14%	2.894%
9	8.936	8.899	8.970	VV	860787	9008630	58.46%	3.014%
10	9.729	9.638	9.845	BB	816339	8652359	56.15%	2.895%
11	10.143	10.101	10.218	PB	724130	8132700	52.78%	2.721%
12	11.140	11.055	11.181	BV	736272	8166061	53.00%	2.732%
13	11.217	11.181	11.256	VV	737883	8137942	52.81%	2.723%
14	11.593	11.548	11.665	BB	677860	8021943	52.06%	2.684%
15	11.907	11.858	11.985	BB	565348	6265715	40.66%	2.096%
16	12.908	12.818	12.936	BV	666127	8016332	52.02%	2.682%
17	12.970	12.936	13.071	VB	703173	7924509	51.43%	2.651%
18	13.270	13.225	13.303	BV	690479	7933673	51.49%	2.655%
19	13.352	13.303	13.441	VB	386269	4812213	31.23%	1.610%
20	13.521	13.481	13.595	BB	630459	7645429	49.62%	2.558%
21	14.109	14.028	14.181	BB	599153	7572129	49.14%	2.534%
22	15.158	15.111	15.178	BV	591967	7901232	51.28%	2.644%
23	15.206	15.178	15.318	VB	906572	15408662	100.00%	5.156%
24	16.242	16.035	16.321	BB	544983	7348444	47.69%	2.459%
25	16.724	16.655	16.741	BV	539852	8403512	54.54%	2.812%
26	16.761	16.741	16.885	VB	676658	8705861	56.50%	2.913%
27	17.110	17.045	17.154	BV	576999	8510997	55.24%	2.848%
28	17.192	17.154	17.278	VB	527595	7404472	48.05%	2.477%
29	18.084	18.025	18.155	BB	535529	7409675	48.09%	2.479%
30	18.492	18.398	18.508	BV	517214	8602897	55.83%	2.878%
31	18.527	18.508	18.698	VV	600708	9705750	62.99%	3.247%
32	18.751	18.698	18.871	PBA	502121	8759726	56.85%	2.931%
33	18.917	18.871	19.031	BB	513082	7428452	48.21%	2.486%
34	19.702	19.651	19.805	BB	488052	7604111	49.35%	2.544%
35	20.444	20.401	20.498	BV	477800	7438471	48.27%	2.489%
36	21.185	21.131	21.288	BB	396835	7537357	48.92%	2.522%

37 22.107 22.041 22.251 BB 292842 7575156 49.16% 2.535%
rteres
Sum of corrected areas: 2988

Aliphatic EPH 030325.M Fri Mar 21 00:00:31 2025

Instrument :

FID_E

ClientSampleId :

PB167227BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/21/2025

Supervised By :mohammad ahmed 03/24/2025