

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032221\
Data File : FE033428.D
Signal(s) : FID1B.CH
Acq On : 22 Mar 2021 10:37
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE031621.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.491	4.447	4.536	BB	2081238	20481268	94.41%	8.873%
2	6.504	6.455	6.542	BB	1914049	20809516	95.92%	9.015%
3	8.300	8.249	8.340	BB	1844702	21370469	98.50%	9.258%
4	9.900	9.849	9.937	BB	1750039	21365859	98.48%	9.256%
5	11.343	11.288	11.387	BB	1675096	21694929	100.00%	9.399%
6	12.653	12.596	12.694	BB	1664226	21592618	99.53%	9.354%
7	13.850	13.790	13.886	BB	1570192	21492750	99.07%	9.311%
8	14.748	14.691	14.801	BB	1281031	18761929	86.48%	8.128%
9	14.955	14.896	14.999	BB	1550106	21423314	98.75%	9.281%
10	15.974	15.911	16.016	BB	1466843	21043003	97.00%	9.116%
11	16.924	16.862	16.975	BB	1384798	20791176	95.83%	9.007%
Sum of corrected areas:						230826832		

FE031621.M Tue Mar 23 13:19:58 2021