

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032425AL\
 Data File : FE052945.D
 Signal(s) : FID1B.ch
 Acq On : 24 Mar 2025 17:10
 Operator : YP\AJ
 Sample : Q1624-01MS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 OK-01-03212025MS

Integration File: autoint1.e
 Quant Time: Mar 25 01:52:50 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 13:39:39 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.910	5126760	30.410 ug/ml
Spiked Amount 50.000		Recovery =	60.82%
12) S 1-chlorooctadecane (S...	13.355	3828994	31.534 ug/ml
Spiked Amount 50.000		Recovery =	63.07%
Target Compounds			
1) T n-Nonane (C9)	3.252	6752854	43.553 ug/ml
2) T n-Decane (C10)	4.514	7606956	48.422 ug/ml
3) T A~Naphthalene (C11.7)	6.225	8935577	52.689 ug/ml
4) T n-Dodecane (C12)	6.693	8511451	54.666 ug/ml
5) T A~2-methylnaphthalene...	7.329	8572310	52.897 ug/ml
6) T n-Tetradecane (C14)	8.533	9149271	60.467 ug/ml
7) T n-Hexadecane (C16)	10.147	9217398	60.289 ug/ml
8) T n-Octadecane (C18)	11.596	9126936	59.990 ug/ml
10) T n-Eicosane (C20)	12.912	9135115	62.925 ug/ml
11) T n-Heneicosane (C21)	13.525	8704828	61.160 ug/ml
13) T n-Docosane (C22)	14.115	8644634	60.745 ug/ml
14) T n-Tetracosane (C24)	15.216	17299268	120.882 ug/ml
15) T n-Hexacosane (C26)	16.249	8362807	58.813 ug/ml
16) T n-Octacosane (C28)	17.200	8581041	60.347 ug/ml
17) T n-Tricontane (C30)	18.094	8618975	58.354 ug/ml
18) T n-Dotriacontane (C32)	18.927	8435141	58.102 ug/ml
19) T n-Tetratriacontane (C34)	19.714	8760475	64.999 ug/ml
20) T n-Hexatriacontane (C36)	20.457	8443833	71.062 ug/ml
21) T n-Octatriacontane (C38)	21.203	8370594	75.454 ug/ml
22) T n-Tetracontane (C40)	22.129	8751194	80.943 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032425AL\
Data File : FE052945.D
Signal(s) : FID1B.ch
Acq On : 24 Mar 2025 17:10
Operator : YP\AJ
Sample : Q1624-01MS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS

Integration File: autoint1.e
Quant Time: Mar 25 01:52:50 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 13:39:39 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 uL
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.252 min
Delta R.T.: 0.000 min
Response: 6752854
Conc: 43.55 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS




#2 n-Decane (C10)

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 7606956
Conc: 48.42 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.225 min
Delta R.T.: -0.002 min
Response: 8935577
Conc: 52.69 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.693 min
Delta R.T.: -0.002 min
Response: 8511451
Conc: 54.67 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.329 min
Delta R.T.: 0.000 min
Response: 8572310
Conc: 52.90 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS




#6 n-Tetradecane (C14)

R.T.: 8.533 min
Delta R.T.: 0.002 min
Response: 9149271
Conc: 60.47 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.147 min
Delta R.T.: 0.002 min
Response: 9217398
Conc: 60.29 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.596 min
Delta R.T.: 0.003 min
Response: 9126936
Conc: 59.99 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.910 min
Delta R.T.: 0.002 min
Response: 5126760
Conc: 30.41 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS




#10 n-Eicosane (C20)

R.T.: 12.912 min
Delta R.T.: 0.005 min
Response: 9135115
Conc: 62.93 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.525 min
Delta R.T.: 0.003 min
Response: 8704828
Conc: 61.16 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.355 min
Delta R.T.: 0.000 min
Response: 3828994
Conc: 31.53 ug/ml



#13 n-Docosane (C22)


R.T.: 14.115 min
Delta R.T.: 0.005 min
Response: 8644634
Conc: 60.75 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS




#14 n-Tetracosane (C24)

R.T.: 15.216 min
Delta R.T.: 0.000 min
Response: 17299268
Conc: 120.88 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.249 min
Delta R.T.: 0.009 min
Response: 8362807
Conc: 58.81 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.200 min
Delta R.T.: 0.008 min
Response: 8581041
Conc: 60.35 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.094 min
Delta R.T.: 0.009 min
Response: 8618975
Conc: 58.35 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS




#18 n-Dotriacontane (C32)

R.T.: 18.927 min
Delta R.T.: 0.010 min
Response: 8435141
Conc: 58.10 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.714 min
Delta R.T.: 0.011 min
Response: 8760475
Conc: 65.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.457 min
Delta R.T.: 0.012 min
Response: 8443833
Conc: 71.06 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.203 min
Delta R.T.: 0.018 min
Response: 8370594
Conc: 75.45 ug/ml

Instrument :
FID_E
ClientSampleId :
OK-01-03212025MS



#22 n-Tetracontane (C40)

R.T.: 22.129 min
Delta R.T.: 0.025 min
Response: 8751194
Conc: 80.94 ug/ml