

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032619\
 Data File : FE029768.D
 Signal(s) : FID1B.CH
 Acq On : 26 Mar 2019 12:34
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 26 14:55:28 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
 Quant Title :
 QLast Update : Wed Mar 20 08:08:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.655	8588940	51.786 ug/ml
Target Compounds			
1) N-OCTANE	2.394	65834534	501.448 ug/ml
2) N-NONANE	3.375	67936712	484.883 ug/ml
3) N-DECANE	4.437	104445718	468.482 ug/ml
4) N-UNDECANE	5.468	104986501	673.362 ug/ml
5) N-DODECANE	6.451	105847389	654.391 ug/ml
6) N-TETRADECANE	8.250	106533958	609.467 ug/ml
7) N-HEXADECANE	9.848	88599754	483.995 ug/ml
8) N-OCTADECANE	11.272	44151840	236.338 ug/ml
9) N-EICOSANE	12.563	17467884	96.209 ug/ml
10) N-TETRACOSANE	14.871	17009304	108.617 ug/ml
11) N-OCTACOSANE	16.834	8196585	56.713 ug/ml
12) N-DOTRIACONTANE	18.556	7132433	43.528 ug/ml
14) N-HEXATRIACONTANE	20.078	4374444	30.263 ug/ml
15) N-TETRACONTANE	21.699	3631326	29.167 ug/ml
16) N-TETRTETRACOOCTANE	24.384	3047986	31.172 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032619\
Data File : FE029768.D
Signal(s) : FID1B.CH
Acq On : 26 Mar 2019 12:34
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 26 14:55:28 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
Quant Title :
QLast Update : Wed Mar 20 08:08:03 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

