

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032619\
Data File : FE029768.D
Signal(s) : FID1B.CH
Acq On : 26 Mar 2019 12:34
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.394	2.329	2.617	PV	5023948	65834534	61.80%	8.688%
2	3.375	3.316	3.453	VV	4571750	67936712	63.77%	8.965%
3	4.437	4.329	4.534	BV	5261453	104445718	98.04%	13.783%
4	5.468	5.366	5.499	BV	4717294	104986501	98.55%	13.854%
5	6.451	6.357	6.572	BB	4600452	105847389	99.36%	13.968%
6	8.250	8.156	8.294	BV	4545670	106533958	100.00%	14.059%
7	9.848	9.761	9.942	BB	3877094	88599754	83.17%	11.692%
8	11.272	11.204	11.332	VB	2476511	44151840	41.44%	5.826%
9	12.563	12.471	12.631	BB	1297735	17467884	16.40%	2.305%
10	14.655	14.609	14.682	PV	688738	8588940	8.06%	1.133%
11	14.871	14.767	14.922	BB	1255896	17009304	15.97%	2.245%
12	16.834	16.766	16.881	BB	667806	8196585	7.69%	1.082%
13	18.556	18.467	18.607	BB	576317	7132433	6.69%	0.941%
14	20.078	19.999	20.104	BV	347897	4374444	4.11%	0.577%
15	21.699	21.612	21.801	BB	191691	3631326	3.41%	0.479%
16	24.384	24.266	24.539	BB	85187	3047986	2.86%	0.402%
Sum of corrected areas:						757785306		

C44-FE031919.M Tue Mar 26 15:04:25 2019