

rteres.txt
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032719\
Data File : FE029795.D
Signal(s) : FID1B.CH
Acq On : 28 Mar 2019 5:00
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE031919.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.391	2.301	2.606	BV	5138821	67073404	62.13%	8.646%
2	3.371	3.318	3.454	VV	4652707	69654211	64.52%	8.979%
3	4.432	4.328	4.464	PV	5430829	106985664	99.10%	13.791%
4	5.462	5.378	5.534	BV	4982010	107483832	99.56%	13.855%
5	6.445	6.329	6.511	BV	4711051	107866760	99.92%	13.904%
6	8.243	8.154	8.294	PV	4532353	107955703	100.00%	13.916%
7	9.840	9.709	9.943	BB	3901609	89283633	82.70%	11.509%
8	11.263	11.197	11.326	VV	2514061	44271573	41.01%	5.707%
9	12.554	12.508	12.624	BB	1366346	17430333	16.15%	2.247%
10	14.644	14.602	14.670	PV	663442	8581315	7.95%	1.106%
11	14.860	14.759	14.916	BV	1268145	17133924	15.87%	2.209%
12	16.824	16.781	16.848	VV	762374	9422886	8.73%	1.215%
13	18.547	18.488	18.557	VV	827027	10894604	10.09%	1.404%
14	20.066	20.008	20.085	PV	390961	4924982	4.56%	0.635%
15	21.683	21.624	21.704	BV	200389	3899490	3.61%	0.503%
16	24.366	24.223	24.384	BV	88084	2923820	2.71%	0.377%
Sum of corrected areas:						775786133		

C44-FE031919.M Thu Mar 28 13:30:12 2019