

rteres

Instrument :

FID_E

ClientSampleId :

PB151744BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03282
Data File : FE041044.D
Signal(s) : FID1B.ch
Acq On : 28 Mar 2023 14:24
Sample : PB151744BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 03/29/2023
Supervised By :Ankita Jodhani 03/29/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.263	3.205	3.381	BB	648791	6414057	52.73%	2.521%
2	4.507	4.474	4.524	BV	685505	6614262	54.38%	2.600%
3	4.541	4.524	4.683	VB	713449	7196301	59.16%	2.829%
4	6.204	6.163	6.406	BB	665063	7172906	58.97%	2.820%
5	6.666	6.619	6.776	BB	685926	6897267	56.70%	2.711%
6	7.299	7.266	7.432	VV	614424	6769272	55.65%	2.661%
7	7.923	7.884	8.127	BB	667798	7104315	58.41%	2.793%
8	8.493	8.459	8.567	BV	655751	6852906	56.34%	2.694%
9	8.598	8.567	8.766	VV	689246	7155619	58.83%	2.813%
10	8.800	8.766	8.869	PV	403762	4515951	37.13%	1.775%
11	8.897	8.869	9.063	VB	716518	7561591	62.17%	2.972%
12	9.687	9.646	9.857	BV	618127	6870516	56.48%	2.701%
13	10.099	10.063	10.182	BB	633894	6962773	57.24%	2.737%
14	11.093	11.011	11.143	BV	570607	6443702	52.98%	2.533%
15	11.169	11.143	11.322	VV	517339	6516773	53.58%	2.562%
16	11.541	11.498	11.633	BB	627030	6849733	56.31%	2.692%
17	11.856	11.813	11.970	BB	653292	7075710	58.17%	2.781%
18	12.851	12.759	12.885	BV	567144	6714279	55.20%	2.639%
19	12.915	12.885	13.082	VB	530823	6225951	51.19%	2.447%
20	13.214	13.170	13.261	BV	534204	6172208	50.74%	2.426%
21	13.294	13.261	13.386	VB	476415	5746919	47.25%	2.259%
22	13.463	13.411	13.527	BB	530070	6374039	52.40%	2.506%
23	14.049	13.966	14.126	BB	522223	6274198	51.58%	2.466%
24	15.099	15.050	15.119	BV	473066	5746992	47.25%	2.259%
25	15.145	15.119	15.306	VV	759815	12163451	100.00%	4.781%
26	16.176	16.008	16.234	BB	452505	5965384	49.04%	2.345%
27	16.665	16.614	16.680	BV	474905	6088364	50.05%	2.393%
28	16.697	16.680	16.841	VB	509325	6315984	51.93%	2.483%
29	17.048	16.971	17.092	BV	422566	5624926	46.24%	2.211%
30	17.126	17.092	17.247	VB	451873	5983722	49.19%	2.352%
31	18.016	17.946	18.077	BB	423806	5849554	48.09%	2.299%
32	18.430	18.343	18.444	BV	480137	6353540	52.23%	2.497%
33	18.463	18.444	18.614	VB	508030	6876194	56.53%	2.703%
34	18.688	18.630	18.805	BBA	505658	7048430	57.95%	2.771%
35	18.847	18.806	18.913	BB	412348	5709330	46.94%	2.244%
36	19.631	19.601	19.674	BV	396352	5531230	45.47%	2.174%

Aliphatic EPH 032523.M Wed Mar 29 02:09:40 2023

37	20.371	20.025	20.436	PV	369510	5507020	45.28%	2.165%
38	21.098	21.066	21.184	BV	324815	5330181	43.28%	2.165%
39	21.980	21.750	22.111	BB	255264	5825636	47.44%	2.165%
Sum of corrected areas:					2544			

Instrument :

FID_E

ClientSampleId :

PB151744BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/29/2023
Supervised By :Ankita Jodhani 03/29/2023