

rteres

Instrument :

FID_E

ClientSampleId :

PB167363BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/31/2025

Supervised By :mohammad ahmed 04/01/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03282
Data File : FE053045.D
Signal(s) : FID1B.ch
Acq On : 28 Mar 2025 15:37
Sample : PB167363BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.251	3.218	3.341	BB	541206	5471531	46.60%	2.356%
2	4.509	4.471	4.526	BV	597593	5920224	50.42%	2.550%
3	4.543	4.526	4.599	VV	620545	6307664	53.72%	2.717%
4	6.217	6.178	6.315	BB	684711	6747905	57.47%	2.906%
5	6.685	6.645	6.761	BB	612314	6329452	53.91%	2.726%
6	7.319	7.275	7.438	PB	604455	6189514	52.71%	2.666%
7	8.522	8.485	8.591	BV	586589	6296833	53.63%	2.712%
8	8.626	8.591	8.735	VB	639746	6614611	56.33%	2.849%
9	8.927	8.893	9.018	VB	642752	6654919	56.68%	2.866%
10	9.720	9.668	9.825	BB	637341	6571970	55.97%	2.830%
11	10.135	10.095	10.205	BB	565175	6284817	53.53%	2.707%
12	11.131	11.048	11.173	BV	554308	6110894	52.04%	2.632%
13	11.207	11.173	11.331	VB	551023	6109586	52.03%	2.631%
14	11.583	11.545	11.655	BB	504144	6106368	52.01%	2.630%
15	11.899	11.851	11.978	BB	594728	6590811	56.13%	2.839%
16	12.898	12.811	12.927	BV	509763	6125602	52.17%	2.638%
17	12.959	12.927	13.065	VB	516847	5964790	50.80%	2.569%
18	13.259	13.218	13.294	BV	492675	5829030	49.64%	2.510%
19	13.343	13.294	13.428	VB	401089	5025544	42.80%	2.164%
20	13.512	13.471	13.581	BB	471777	5816085	49.53%	2.505%
21	14.100	14.025	14.175	BB	457869	5730988	48.81%	2.468%
22	15.147	15.101	15.167	BV	442560	5990996	51.02%	2.580%
23	15.194	15.167	15.308	VB	640405	11741632	100.00%	5.057%
24	16.231	16.158	16.305	BB	415855	5552176	47.29%	2.391%
25	16.713	16.645	16.729	BV	435887	6441910	54.86%	2.774%
26	16.748	16.729	16.891	VB	537638	6905767	58.81%	2.974%
27	17.097	17.031	17.145	BV	457859	6518317	55.51%	2.807%
28	17.182	17.145	17.281	VB	401073	5697532	48.52%	2.454%
29	18.073	18.008	18.138	BB	403786	5687103	48.44%	2.449%
30	18.478	18.385	18.493	BV	366160	5944132	50.62%	2.560%
31	18.513	18.493	18.684	VV	441572	7679637	65.41%	3.307%
32	18.735	18.684	18.871	PBA	367122	6222510	53.00%	2.680%
33	18.906	18.871	18.985	BB	395676	5735790	48.85%	2.470%
34	19.692	19.651	19.785	BB	403547	5990197	51.02%	2.580%
35	20.433	20.401	20.481	BV	375433	5776049	49.19%	2.488%
36	21.172	21.131	21.271	BB	318694	5975645	50.89%	2.574%

37 22.089 22.041 22.221 BB 224950 5533565 47.13% 2.383%
rteres
Sum of corrected areas: 2325

Aliphatic EPH 030325.M Sat Mar 29 00:21:59 2025

Instrument :

FID_E

ClientSampleId :

PB167363BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/31/2025

Supervised By :mohammad ahmed 04/01/2025