

rteres

Instrument :

FID_E

ClientSampleId :

PB151762BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/30/2023
Supervised By :Ankita Jodhani 03/30/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03292
Data File : FE041070.D
Signal(s) : FID1B.ch
Acq On : 29 Mar 2023 13:47
Sample : PB151762BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.276	3.214	3.401	BV	706377	7421393	58.26%	2.956%
2	4.512	4.468	4.529	BV	786649	7489237	58.79%	2.983%
3	4.546	4.529	4.696	VB	789191	8156865	64.04%	3.249%
4	6.204	6.167	6.428	BB	710048	7827750	61.45%	3.118%
5	6.666	6.622	6.787	BB	765012	7635653	59.94%	3.041%
6	7.298	7.264	7.431	VV	640394	7193675	56.47%	2.865%
7	8.493	8.443	8.569	BV	719776	7468782	58.63%	2.975%
8	8.597	8.569	8.783	VB	709708	7513458	58.98%	2.993%
9	8.896	8.854	9.062	BB	741444	7828646	61.46%	3.118%
10	9.687	9.643	9.856	BV	608019	7133202	56.00%	2.841%
11	10.099	10.050	10.202	BB	686150	7477132	58.70%	2.978%
12	11.093	11.037	11.145	BV	598060	6613525	51.92%	2.634%
13	11.170	11.145	11.324	VV	522571	6658571	52.27%	2.652%
14	11.541	11.501	11.673	BB	633371	7268009	57.06%	2.895%
15	11.856	11.807	11.972	BB	637641	7020068	55.11%	2.796%
16	12.851	12.707	12.887	BV	597650	7034356	55.22%	2.802%
17	12.916	12.887	13.090	VB	543189	6443831	50.59%	2.567%
18	13.213	13.172	13.263	BV	534791	6397634	50.23%	2.548%
19	13.295	13.263	13.419	VB	468499	5711929	44.84%	2.275%
20	13.462	13.421	13.548	BB	543066	6606603	51.87%	2.631%
21	14.049	13.963	14.131	BB	517548	6466634	50.77%	2.576%
22	15.100	15.055	15.120	BV	498698	6069826	47.65%	2.418%
23	15.146	15.120	15.314	VV	790402	12737924	100.00%	5.073%
24	16.176	16.100	16.247	BB	464067	6177323	48.50%	2.460%
25	16.665	16.589	16.680	BV	484035	6528083	51.25%	2.600%
26	16.698	16.680	16.872	VB	525158	6866609	53.91%	2.735%
27	17.047	16.942	17.093	BV	439872	5997489	47.08%	2.389%
28	17.125	17.093	17.262	VB	459946	6329672	49.69%	2.521%
29	18.017	17.953	18.095	BV	466703	6219646	48.83%	2.477%
30	18.432	18.358	18.446	BV	502478	6825958	53.59%	2.719%
31	18.464	18.446	18.637	VB	552698	7564971	59.39%	3.013%
32	18.690	18.644	18.805	BBA	539584	7560401	59.35%	3.011%
33	18.847	18.806	18.922	BB	438576	6067918	47.64%	2.417%
34	19.632	19.601	19.686	BV	368074	5501759	43.19%	2.191%
35	20.374	20.331	20.441	VB	301962	4566109	35.85%	1.819%
36	21.099	21.066	21.177	BB	216958	3531009	27.72%	1.406%

37 21.983 21.804 22.106 BB 139943 3162416 24.83% 1.260%
rteres
Sum of corrected areas: 2516

Aliphatic EPH 032523.M Thu Mar 30 02:16:20 2023

Instrument :

FID_E

ClientSampleId :

PB151762BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/30/2023
Supervised By :Ankita Jodhani 03/30/2023