

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032923AL\
 Data File : FE041065.D
 Signal(s) : FID1B.ch
 Acq On : 29 Mar 2023 10:22
 Operator : YP\AJ
 Sample : 02106-02DL 25X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 VNJ-238-EPH-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 03/30/2023
 Supervised By :Ankita Jodhani 03/30/2023

Integration File: autoint1.e
 Quant Time: Mar 30 01:43:37 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 25 06:32:15 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.851	338783	1.803 ug/mlm
Spiked Amount 50.000		Recovery =	3.61%
12) S 1-chlorooctadecane (S...	13.292	161289	1.121 ug/mlm
Spiked Amount 50.000		Recovery =	2.24%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE032923AL\
Data File : FE041065.D
Signal(s) : FID1B.ch
Acq On : 29 Mar 2023 10:22
Operator : YP\AJ
Sample : 02106-02DL 25X
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
VNJ-238-EPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 03/30/2023
Supervised By :Ankita Jodhani 03/30/2023

Integration File: autoint1.e
Quant Time: Mar 30 01:43:37 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.
Quant Title : GC Extractables
QLast Update : Sat Mar 25 06:32:15 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.851 min
Delta R.T.: -0.014 min
Response: 338783
Conc: 1.80 ug/ml

Instrument :
FID_E
ClientSampleId :
VNJ-238-EPH-2DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 03/30/2023
Supervised By :Ankita Jodhani 03/30/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.292 min
Delta R.T.: -0.010 min
Response: 161289
Conc: 1.12 ug/ml m