

rteres

Instrument :

FID_E

ClientSampleId :

PB151809BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03312

Data File : FE041100.D

Signal(s) : FID1B.ch

Acq On : 31 Mar 2023 13:20

Sample : PB151809BS

Misc :

ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/03/2023

Supervised By :Ankita Jodhani 04/03/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.263	3.234	3.385	PV	730682	7226640	51.45%	2.448%
2	4.505	4.459	4.522	BV	793056	7536555	53.66%	2.553%
3	4.539	4.522	4.709	VB	795896	8214112	58.48%	2.783%
4	6.200	6.161	6.422	BB	776847	8305697	59.14%	2.814%
5	6.663	6.627	6.780	BB	793124	7948479	56.59%	2.693%
6	7.295	7.266	7.423	VV	738788	7839583	55.82%	2.656%
7	7.920	7.877	8.123	BB	779752	8283068	58.98%	2.806%
8	8.491	8.442	8.567	BV	761368	7931980	56.48%	2.687%
9	8.594	8.567	8.767	VV	786261	8293349	59.05%	2.810%
10	8.797	8.767	8.866	PV	471640	5288959	37.66%	1.792%
11	8.894	8.866	9.081	VB	827043	8772124	62.46%	2.972%
12	9.683	9.637	9.852	BV	693682	7964870	56.71%	2.698%
13	10.096	10.057	10.191	BB	755532	8132316	57.90%	2.755%
14	11.090	11.031	11.141	BV	695036	7457632	53.10%	2.526%
15	11.167	11.141	11.321	VV	625359	7489711	53.33%	2.537%
16	11.539	11.497	11.657	PB	700639	8051471	57.33%	2.728%
17	11.853	11.800	11.962	BB	749087	8200809	58.39%	2.778%
18	12.849	12.809	12.882	BV	651812	7867730	56.02%	2.665%
19	12.913	12.882	13.081	VB	598973	7150710	50.91%	2.422%
20	13.211	13.175	13.260	BV	607632	7082676	50.43%	2.399%
21	13.293	13.260	13.387	VB	568074	6673099	47.51%	2.261%
22	13.460	13.410	13.535	BB	636463	7460575	53.12%	2.527%
23	14.047	14.008	14.124	PB	597044	7324525	52.15%	2.481%
24	15.098	15.062	15.117	BV	548380	6628542	47.19%	2.246%
25	15.143	15.117	15.307	VV	873246	14045049	100.00%	4.758%
26	16.173	16.101	16.247	BB	546371	6871226	48.92%	2.328%
27	16.663	16.591	16.678	BV	524499	7061968	50.28%	2.392%
28	16.696	16.678	16.857	VB	565451	7344134	52.29%	2.488%
29	17.046	16.969	17.091	BV	485835	6531205	46.50%	2.213%
30	17.123	17.091	17.262	VB	506634	6915465	49.24%	2.343%
31	18.014	17.952	18.082	BB	501150	6730158	47.92%	2.280%
32	18.430	18.358	18.443	BV	512796	7302578	51.99%	2.474%
33	18.461	18.443	18.642	VV	567038	7974989	56.78%	2.702%
34	18.687	18.642	18.802	PV	569466	8105519	57.71%	2.746%
35	18.846	18.806	18.928	BB	478097	6627707	47.19%	2.245%
36	19.631	19.601	19.681	BV	471265	6484538	46.17%	2.197%

Aliphatic EPH 032523.M Sat Apr 01 01:43:37 2023

37	20.374	20.306	20.444	VB	461027	6600249	46.99%	2.236%
38	21.099	21.066	21.182	BB	375489	6471233	46.99%	2.236%
39	21.985	21.755	22.112	BB	304710	6991253	46.99%	2.236%
Sum of corrected areas:					2953			

Instrument :

FID_E

ClientSampleId :

PB151809BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/03/2023
Supervised By :Ankita Jodhani 04/03/2023