

rteres.txt

Instrument :

FID_E

ClientSampleId :

PB151927BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/07/2023
Supervised By :Ankita Jodhani 04/07/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04062
Data File : FE041205.D
Signal(s) : FID1B.ch
Acq On : 06 Apr 2023 21:39
Sample : PB151927BSD
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.256	3.204	3.376	BV	646571	6506100	75.56%	2.330%
2	4.498	4.467	4.515	BV	740126	6939395	80.59%	2.486%
3	4.532	4.515	4.690	VB	726624	7537777	87.54%	2.700%
4	6.194	6.156	6.410	BB	736416	7852602	91.19%	2.813%
5	6.657	6.611	6.786	BB	755291	7647533	88.81%	2.739%
6	7.288	7.257	7.423	VV	694900	7579557	88.02%	2.715%
7	8.485	8.449	8.561	BV	740584	7836315	91.00%	2.807%
8	8.589	8.561	8.767	VV	756869	8127519	94.39%	2.911%
9	8.889	8.860	9.062	VB	816505	8610865	100.00%	3.084%
10	9.679	9.636	9.842	BV	692163	7859086	91.27%	2.815%
11	10.091	10.053	10.186	BB	753798	8102433	94.10%	2.902%
12	11.085	11.028	11.135	BV	667327	7347210	85.32%	2.632%
13	11.161	11.135	11.315	VV	597779	7397024	85.90%	2.649%
14	11.533	11.494	11.617	PB	689870	8044386	93.42%	2.881%
15	11.848	11.804	11.962	BB	726473	7915574	91.93%	2.835%
16	12.843	12.762	12.878	BV	655009	7926806	92.06%	2.839%
17	12.908	12.878	13.079	VV	595982	7073480	82.15%	2.534%
18	13.207	13.163	13.254	BV	584912	6957786	80.80%	2.492%
19	13.286	13.254	13.378	VB	525858	6506678	75.56%	2.331%
20	13.455	13.401	13.533	BB	632833	7520227	87.33%	2.694%
21	14.041	13.969	14.112	BB	614755	7389631	85.82%	2.647%
22	15.093	15.044	15.113	BV	524922	6579795	76.41%	2.357%
23	15.139	15.113	15.140	M	924532	7407074	86.02%	2.653%
24	15.140	15.140	15.390	M	921226	6405075	74.38%	2.294%
25	16.168	16.092	16.223	BB	532145	6948988	80.70%	2.489%
26	16.659	16.584	16.674	BV	505042	7098756	82.44%	2.543%
27	16.693	16.674	16.866	VB	588455	7414046	86.10%	2.656%
28	17.042	16.966	17.085	BV	480134	6560806	76.19%	2.350%
29	17.116	17.085	17.251	VB	506502	7026867	81.60%	2.517%
30	18.008	17.949	18.076	BB	500912	6822683	79.23%	2.444%
31	18.428	18.370	18.441	BV	503066	7220627	83.85%	2.586%
32	18.459	18.441	18.642	VV	596985	8214082	95.39%	2.942%
33	18.685	18.642	18.797	PV	550006	7969748	92.55%	2.855%
34	18.839	18.806	18.911	BB	488500	6684750	77.63%	2.394%
35	19.625	19.576	19.684	M	475843	6841207	79.45%	2.450%
36	20.365	20.324	20.434	VV	449849	6837444	79.40%	2.449%

rtres.txt
37 21.091 21.040 21.144 M 424551 7071153 82.12% 2.533%
38 21.974 21.751 22.112 BB 321744 7407591 86
Sum of corrected areas: 2791

Aliphatic EPH 032523.M Fri Apr 07 04:48:14 2023

Instrument :

FID_E

ClientSampleId :

PB151927BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/07/2023

Supervised By :Ankita Jodhani 04/07/2023