

rteres

Instrument :

FID_E

ClientSampleId :

PB151957BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04072

Data File : FE041221.D

Signal(s) : FID1B.ch

Acq On : 07 Apr 2023 12:25

Sample : PB151957BSD

Misc :

ALS Vial : 24 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/10/2023

Supervised By :Ankita Jodhani 04/10/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.264	3.201	3.392	BV	600787	6238107	55.45%	2.815%
2	4.500	4.459	4.518	BV	654125	6337389	56.33%	2.860%
3	4.535	4.518	4.691	VB	667044	6921204	61.52%	3.124%
4	6.193	6.152	6.419	BB	569160	6524198	57.99%	2.945%
5	6.655	6.613	6.773	BB	644048	6505536	57.82%	2.936%
6	7.287	7.256	7.479	VV	514181	6095316	54.18%	2.751%
7	8.481	8.436	8.559	BV	611407	6400115	56.89%	2.889%
8	8.585	8.559	8.786	VB	562227	6341193	56.36%	2.862%
9	8.884	8.839	9.059	BB	608304	6625544	58.89%	2.990%
10	9.674	9.635	9.847	BV	497913	6032079	53.62%	2.722%
11	10.086	10.043	10.178	BB	590509	6440548	57.25%	2.907%
12	11.081	11.033	11.134	BV	493851	5628796	50.03%	2.540%
13	11.157	11.134	11.313	VV	410495	5668029	50.38%	2.558%
14	11.528	11.493	11.642	PB	553980	6312472	56.11%	2.849%
15	11.843	11.793	11.963	BB	556513	6159274	54.75%	2.780%
16	12.838	12.749	12.875	BV	525421	6154158	54.70%	2.778%
17	12.903	12.875	13.081	VV	451490	5630510	50.05%	2.541%
18	13.201	13.161	13.252	BV	464585	5536831	49.21%	2.499%
19	13.281	13.252	13.408	VB	421040	5082661	45.18%	2.294%
20	13.449	13.413	13.556	BB	482661	5808778	51.63%	2.622%
21	14.036	13.932	14.111	BB	470633	5697923	50.65%	2.572%
22	15.088	15.044	15.108	BV	433255	5260771	46.76%	2.374%
23	15.134	15.108	15.306	VV	708514	11250555	100.00%	5.078%
24	16.162	16.086	16.225	BB	427339	5484514	48.75%	2.475%
25	16.655	16.571	16.669	BV	450999	5744757	51.06%	2.593%
26	16.686	16.669	16.862	VB	471105	6138639	54.56%	2.771%
27	17.036	16.956	17.081	BV	359542	5222848	46.42%	2.357%
28	17.112	17.081	17.261	VB	403553	5726972	50.90%	2.585%
29	18.003	17.941	18.057	BB	427664	5537885	49.22%	2.499%
30	18.420	18.368	18.434	BV	453776	5827861	51.80%	2.630%
31	18.453	18.434	18.635	VV	455717	6814887	60.57%	3.076%
32	18.677	18.635	18.793	PV	443886	6481658	57.61%	2.925%
33	18.834	18.806	18.915	BB	391075	5297939	47.09%	2.391%
34	19.621	19.564	19.688	M	375725	5351268	47.56%	2.415%
35	20.360	20.319	20.428	VV	327045	4816908	42.81%	2.174%
36	21.087	21.017	21.138	M	255174	4367681	38.82%	1.971%

37 21.965 21.837 22.108 VV 184840 4102338 36.46% 1.852%
Sum of corrected areas: 2215

Aliphatic EPH 032523.M Mon Apr 10 01:29:10 2023

Instrument :

FID_E

ClientSampleId :

PB151957BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/10/2023
Supervised By :Ankita Jodhani 04/10/2023