

rteres.txt

Instrument :

FID_E

ClientSampleId :

PB152036BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04112
Data File : FE041309.D
Signal(s) : FID1B.ch
Acq On : 11 Apr 2023 17:34
Sample : PB152036BSD
Misc :
ALS Vial : 18 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/12/2023
Supervised By :Ankita Jodhani 04/12/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.247	3.218	3.366	BV	543010	5469218	41.24%	2.062%
2	4.489	4.446	4.506	BV	593975	5682606	42.85%	2.142%
3	4.523	4.506	4.704	VB	593788	6326283	47.71%	2.385%
4	6.186	6.129	6.406	BB	554488	6481417	48.88%	2.444%
5	6.649	6.610	6.776	BB	639702	6415530	48.38%	2.419%
6	7.281	7.254	7.472	PV	542951	6516694	49.14%	2.457%
7	7.907	7.866	8.132	BB	568202	6602518	49.79%	2.489%
8	8.477	8.431	8.553	BV	667106	6965913	52.53%	2.626%
9	8.580	8.553	8.762	VV	655798	7248494	54.66%	2.733%
10	8.785	8.762	8.854	PV	329677	4125235	31.11%	1.555%
11	8.880	8.854	9.084	VB	712183	7843945	59.15%	2.957%
12	9.670	9.631	9.840	BV	587528	7103260	53.57%	2.678%
13	10.082	10.040	10.193	BB	692209	7424790	55.99%	2.799%
14	11.077	11.029	11.131	BV	594482	6750414	50.90%	2.545%
15	11.153	11.131	11.311	VV	506367	6753609	50.93%	2.546%
16	11.524	11.486	11.607	PV	645581	7426200	56.00%	2.800%
17	11.838	11.788	11.957	BB	654342	7068616	53.30%	2.665%
18	12.833	12.750	12.872	BV	611720	7357168	55.48%	2.774%
19	12.899	12.872	13.084	VV	540989	6612077	49.86%	2.493%
20	13.197	13.160	13.247	PV	532002	6437419	48.54%	2.427%
21	13.277	13.247	13.377	VB	491081	5838119	44.03%	2.201%
22	13.444	13.392	13.537	BB	579601	6985757	52.68%	2.634%
23	14.031	13.994	14.110	BB	564248	6880884	51.89%	2.594%
24	15.084	15.046	15.104	BV	516018	6108949	46.07%	2.303%
25	15.130	15.104	15.318	VV	813819	13260840	100.00%	4.999%
26	16.158	16.061	16.231	BB	492924	6526178	49.21%	2.460%
27	16.651	16.572	16.666	BV	533240	6747347	50.88%	2.544%
28	16.684	16.666	16.884	VB	528178	7262121	54.76%	2.738%
29	17.033	17.001	17.077	VV	436531	6053584	45.65%	2.282%
30	17.108	17.077	17.264	VB	471945	6843668	51.61%	2.580%
31	18.000	17.938	18.067	BB	477185	6435490	48.53%	2.426%
32	18.419	18.346	18.432	BV	476429	6091296	45.93%	2.296%
33	18.449	18.432	18.639	VV	505460	7750312	58.45%	2.922%
34	18.674	18.639	18.790	PV	491636	6916061	52.15%	2.607%
35	18.832	18.794	18.872	M	456172	6366962	48.01%	2.400%
36	19.616	19.564	19.680	M	448574	6509580	49.09%	2.454%

```

rteres.txt
37 20.358 20.313 20.453 VV 447818 6527712 49.23% 2.461%
38 21.082 21.026 21.153 M 399588 6703995 50
39 21.962 21.843 22.107 BV 310459 6825239 51
Sum of corrected areas: 2652

```

Aliphatic EPH 032523.M Wed Apr 12 02:16:48 2023

Instrument :
FID_E
ClientSampleId :
PB152036BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/12/2023
Supervised By :Ankita Jodhani 04/12/2023