

rteres.txt

Instrument :
FID_E
ClientSampleId :
LOD-MDL-WATER-01-QT2-2023
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE041329.D
Data File : FE041329.D
Signal(s) : FID1B.ch
Acq On : 12 Apr 2023 15:31
Sample : 02213-07
Misc : 4 PPM WATER LOD
ALS Vial : 20 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/13/2023
Supervised By :Ankita Jodhani 04/13/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.238	3.208	3.316	BB	28337	329042	4.78%	1.668%
2	4.484	4.450	4.567	BB	33792	399026	5.80%	2.022%
3	6.648	6.612	6.717	BV	43562	496230	7.21%	2.515%
4	8.473	8.431	8.552	BV	42308	504804	7.34%	2.559%
5	10.080	10.053	10.137	BB	45229	537385	7.81%	2.724%
6	11.521	11.487	11.596	PB	51196	625062	9.08%	3.168%
7	12.830	12.799	12.900	VB	53677	642123	9.33%	3.255%
8	13.278	13.210	13.377	BV	585622	6880486	100.00%	34.874%
9	13.442	13.377	13.498	VB	47961	593439	8.62%	3.008%
10	14.028	14.004	14.078	VB	55764	680032	9.88%	3.447%
11	15.133	15.105	15.173	VB	59911	797412	11.59%	4.042%
12	16.153	16.081	16.229	BB	66939	899655	13.08%	4.560%
13	17.105	17.032	17.141	BV	73075	979776	14.24%	4.966%
14	17.994	17.913	18.037	BV	82394	1170424	17.01%	5.932%
15	18.829	18.764	18.899	M	82448	1184817	17.22%	6.005%
16	19.612	19.580	19.647	M	66962	930943	13.53%	4.719%
17	20.356	20.310	20.391	PV	50876	763488	11.10%	3.870%
18	21.078	21.042	21.143	M	39034	667900	9.71%	3.385%
19	21.954	21.874	22.065	BV	28069	647537	9.41%	3.282%
Sum of corrected areas:						19729581		

Aliphatic EPH 032523.M Thu Apr 13 08:24:32 2023