

rteres.txt

Instrument :

FID_E

ClientSampleId :

LOQ-WATER-02-QT2-2023

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/13/2023

Supervised By :Ankita Jodhani 04/13/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04122
Data File : FE041330.D
Signal(s) : FID1B.ch
Acq On : 12 Apr 2023 16:03
Sample : 02213-08
Misc : 5 PPM WATER LOQ
ALS Vial : 21 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.237	3.210	3.319	BB	41262	466355	5.84%	1.950%
2	4.484	4.457	4.570	BB	51387	579903	7.26%	2.425%
3	6.648	6.621	6.716	BV	65806	739077	9.26%	3.090%
4	8.473	8.431	8.557	BB	63175	728453	9.12%	3.046%
5	10.079	10.052	10.147	BB	67563	792219	9.92%	3.313%
6	11.521	11.489	11.602	PB	75041	915363	11.46%	3.828%
7	12.829	12.801	12.907	VB	77402	941267	11.79%	3.936%
8	13.278	13.203	13.402	BB	665008	7984399	100.00%	33.386%
9	13.442	13.402	13.497	BB	71730	858329	10.75%	3.589%
10	14.027	14.002	14.104	VB	75819	950172	11.90%	3.973%
11	15.131	15.103	15.185	VB	78100	962757	12.06%	4.026%
12	16.153	16.123	16.229	VB	72530	977838	12.25%	4.089%
13	17.104	17.033	17.197	BB	75732	1036105	12.98%	4.332%
14	17.993	17.906	18.036	BV	79273	1100960	13.79%	4.604%
15	18.828	18.772	18.886	M	81901	1150951	14.42%	4.813%
16	19.610	19.574	19.653	M	71307	1025470	12.84%	4.288%
17	20.354	20.307	20.391	PV	64048	918465	11.50%	3.840%
18	21.077	21.025	21.136	M	54129	886112	11.10%	3.705%
19	21.953	21.797	22.069	BB	39230	901140	11.29%	3.768%
Sum of corrected areas:						23915334		

Aliphatic EPH 032523.M Thu Apr 13 08:25:44 2023