

rteres.txt

Instrument :
FID_E
ClientSampleId :
LOD-MDL-WATER-01-QT2-2023
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04122
Data File : FE041333.D
Signal(s) : FID1B.ch
Acq On : 12 Apr 2023 18:11
Sample : 02213-07
Misc : 2.5 PPM WATER LOD
ALS Vial : 25 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/13/2023
Supervised By :Ankita Jodhani 04/13/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.239	3.215	3.306	BB	15314	186091	3.22%	1.574%
2	4.486	4.449	4.563	BB	18225	226663	3.92%	1.917%
3	6.649	6.624	6.717	BV	23170	280984	4.86%	2.377%
4	8.475	8.369	8.546	BB	24593	312383	5.40%	2.643%
5	10.081	9.978	10.153	BB	26459	323036	5.59%	2.733%
6	11.521	11.487	11.590	PB	30722	375697	6.50%	3.178%
7	12.831	12.799	12.895	PB	30245	377278	6.52%	3.191%
8	13.277	13.170	13.374	BB	474035	5783157	100.00%	48.921%
9	13.442	13.404	13.501	BB	25737	327901	5.67%	2.774%
10	14.029	14.001	14.104	VB	28771	378459	6.54%	3.201%
11	15.132	15.103	15.196	VB	28692	375553	6.49%	3.177%
12	16.154	16.127	16.216	VB	25766	354993	6.14%	3.003%
13	17.104	17.031	17.176	BB	26219	362412	6.27%	3.066%
14	17.993	17.924	18.034	BB	26239	368593	6.37%	3.118%
15	18.826	18.752	18.887	M	26766	408943	7.07%	3.459%
16	19.611	19.559	19.729	M	25645	364495	6.30%	3.083%
17	20.353	20.307	20.394	PV	23048	343820	5.95%	2.908%
18	21.076	21.003	21.140	M	19691	322369	5.57%	2.727%
19	21.953	21.835	22.059	BB	14006	348528	6.03%	2.948%
Sum of corrected areas:						11821354		

Aliphatic EPH 032523.M Thu Apr 13 08:28:10 2023