

rteres.txt

Instrument :

FID_E

ClientSampleId :

LOQ-WATER-02-QT2-2023

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/13/2023

Supervised By :Ankita Jodhani 04/13/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04122
Data File : FE041334.D
Signal(s) : FID1B.ch
Acq On : 12 Apr 2023 19:16
Sample : 02213-08
Misc : 5 PPM WATER LOQ
ALS Vial : 27 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.237	3.212	3.312	BB	31059	358878	5.23%	1.992%
2	4.483	4.457	4.575	BB	38880	454006	6.62%	2.520%
3	6.647	6.622	6.717	BV	47307	549115	8.00%	3.048%
4	8.473	8.446	8.547	BV	46475	567010	8.26%	3.147%
5	10.079	10.049	10.162	BB	51068	612995	8.93%	3.402%
6	11.521	11.490	11.603	VB	56386	701155	10.22%	3.891%
7	12.829	12.800	12.905	VB	58046	701302	10.22%	3.892%
8	13.277	13.227	13.409	BB	573582	6861823	100.00%	38.082%
9	13.442	13.412	13.505	BB	51265	650921	9.49%	3.613%
10	14.029	13.995	14.100	VB	54628	681092	9.93%	3.780%
11	15.132	15.102	15.200	VB	52572	677556	9.87%	3.760%
12	16.153	16.064	16.226	BB	48459	661235	9.64%	3.670%
13	17.104	17.035	17.161	BB	48923	645597	9.41%	3.583%
14	17.994	17.935	18.050	BB	47861	658843	9.60%	3.656%
15	18.827	18.779	18.886	M	47432	682466	9.95%	3.788%
16	19.612	19.555	19.665	M	47992	674457	9.83%	3.743%
17	20.353	20.300	20.395	PV	44346	632208	9.21%	3.509%
18	21.075	21.031	21.133	M	39046	630710	9.19%	3.500%
19	21.951	21.864	22.050	BB	27094	617164	8.99%	3.425%
Sum of corrected areas:						18018532		

Aliphatic EPH 032523.M Thu Apr 13 08:28:53 2023