

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE041323AL\
 Data File : FE041349.D
 Signal(s) : FID1B.ch
 Acq On : 13 Apr 2023 18:25
 Operator : YP\AJ
 Sample : 02308-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 EO-01-041223-EPH-2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 04/14/2023
 Supervised By :Ankita Jodhani 04/14/2023

Integration File: autoint1.e
 Quant Time: Apr 14 01:05:32 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 25 06:32:15 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.838	4727316	25.153 ug/ml
Spiked Amount	50.000	Recovery	= 50.31%
12) S 1-chlorooctadecane (S...	13.276	3818111	26.537 ug/mlm
Spiked Amount	50.000	Recovery	= 53.07%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE041323AL\
Data File : FE041349.D
Signal(s) : FID1B.ch
Acq On : 13 Apr 2023 18:25
Operator : YP\AJ
Sample : 02308-02
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
EO-01-041223-EPH-2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/14/2023
Supervised By :Ankita Jodhani 04/14/2023

Integration File: autoint1.e
Quant Time: Apr 14 01:05:32 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.
Quant Title : GC Extractables
QLast Update : Sat Mar 25 06:32:15 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.838 min
Delta R.T.: -0.027 min
Response: 4727316
Conc: 25.15 ug/ml

Instrument :
FID_E
ClientSampleId :
EO-01-041223-EPH-2

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/14/2023
Supervised By :Ankita Jodhani 04/14/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.276 min
Delta R.T.: -0.026 min
Response: 3818111
Conc: 26.54 ug/ml m